



US00D808820S

(12) **United States Design Patent** (10) **Patent No.:** **US D808,820 S**  
**Totani** (45) **Date of Patent:** **\*\* Jan. 30, 2018**

(54) **SPOUTED POUCH**

- (71) Applicant: **TOTANI CORPORATION**,  
Kyoto-Shi, Kyoto (JP)
- (72) Inventor: **Mikio Totani**, Kyoto (JP)
- (73) Assignee: **TOTANI CORPORATION**, Kyoto-shi  
(JP)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/574,608**
- (22) Filed: **Aug. 17, 2016**

(30) **Foreign Application Priority Data**

Feb. 17, 2016	(JP)	2016-003325
Feb. 17, 2016	(JP)	2016-003326
Feb. 17, 2016	(JP)	2016-003327
Feb. 17, 2016	(JP)	2016-003331
Feb. 17, 2016	(JP)	2016-003333
Feb. 17, 2016	(JP)	2016-003334
Feb. 17, 2016	(JP)	2016-003335
Feb. 17, 2016	(JP)	2016-003336
Feb. 17, 2016	(JP)	2016-003340

(51) **LOC (11) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/707**

(58) **Field of Classification Search**  
USPC ..... D9/702-714, 719, 738-740, 517-518,  
D9/522, 416, 435, 444, 460, 455, 414,  
D9/499, 431-432; D7/560-562;  
206/434, 426-427, 429-430, 485, 485.1,  
206/499, 508, 431, 418-422, 588-594,  
206/286, 299; 229/117.3, 185, 121, 122,  
229/200, 207, 236, 87.01, 923, 922,  
229/87.19, 87.18; 220/23.83;  
383/118-120, 110, 108, 127, 83, 6, 26,  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,015	S	*	2/1994	Jacobson	.....	D3/227
D344,016	S	*	2/1994	Jacobson	.....	D9/709

(Continued)

FOREIGN PATENT DOCUMENTS

EM	001239750-0010	10/2010
JP	81064028 S	3/2000

(Continued)

OTHER PUBLICATIONS

Packaging Digest, vol. 4, No. 42, p. 36 (no date).  
Emballages, vol. 965, p. 147 (Nov. 2014).

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Westerman, Hattori,  
Daniels & Adrian, LLP


(57) **CLAIM**

The ornamental design for a spouted pouch, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a spouted pouch showing my new design, showing the top, front, and right side thereof. FIG. 2 is a front elevational view thereof. FIG. 3 is a rear elevational view thereof. FIG. 4 is a right side elevational view thereof. FIG. 5 is a left side elevational view thereof. FIG. 6 is a top plan view thereof. FIG. 7 is a bottom plan view thereof; and, FIG. 8 is an isometric view thereof, showing the spouted pouch in use in an expanded condition. The broken line portions of the design are included to show unclaimed portions and form no part of the claim.

**1 Claim, 6 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... 383/33, 78, 88; D3/303–307, 221, 226,  
D3/232, 276, 315; 150/100, 107, 112,  
150/118  
CPC .... A45C 3/00; A45C 3/04; A45C 3/06; A45C  
3/001; A45C 3/10; B65D 33/004; B65D  
33/00; B65D 33/06; B65D 33/12; B65D  
1/00; B65D 1/38; B65D 1/40; B65D  
29/00; B65D 29/04; B65D 31/00; B65D  
31/005; B65D 31/10; B65D 31/02; B65D  
31/04; B65D 31/18; B65D 65/00; B65D  
65/02; B65D 65/38; B65D 81/00; B65D  
81/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D551,567	S	*	9/2007	Berman	.....	D9/708
D598,783	S	*	8/2009	Berman	.....	D9/708
D764,941	S	*	8/2016	Balganon Canela	.....	D9/705
D786,697	S	*	5/2017	Dytchkowskyj	.....	D9/708
D790,363	S	*	6/2017	Halverson, III	.....	D9/709
D799,981	S	*	10/2017	Miyamoto	.....	D9/703

FOREIGN PATENT DOCUMENTS

JP	2000-153849	A	6/2000
JP	2009-208836	A	9/2009
JP	B1552632	S	6/2016
KR	197581	S	6/1997

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7






FIG. 8