



US00D808827S

(12) **United States Design Patent**
Witt et al.

(10) **Patent No.:** **US D808,827 S**
(45) **Date of Patent:** **** Jan. 30, 2018**

(54) **MEASURING CONTAINER**
(71) Applicant: **Helen of Troy Limited**, Belleville, St. Michael (BB)
(72) Inventors: **Larry Witt**, Califon, NJ (US); **John Traub**, Brooklyn, NY (US); **Matthew Dolph**, New York, NY (US); **Conor McNamara**, Montclair, NJ (US); **Chris Xydis**, San Francisco, CA (US)

6,769,302 B1 8/2004 King et al.
D550,510 S * 9/2007 Morton D7/509
D580,709 S * 11/2008 Williams D7/509
D603,653 S * 11/2009 Wong D7/509
D609,231 S 2/2010 de Jong et al.
D616,703 S * 6/2010 Joy D7/507
D620,817 S * 8/2010 Eide D10/46.2
D634,159 S * 3/2011 Bodum D7/509

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Helen of Troy Limited**, Belleville, St. Michael (BB)

DE 102007031687 1/2009
JP 1156566 3/1999
WO 2009/149523 12/2009

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/571,082**

OXO Good Grips 2-Cup Squeeze and Pour Silicon Measuring Cup with Stay-Cool pattern, Dec. 11, 2015 (as verified by review), Amazon.com, https://www.amazon.com/dp/B015CQZCHM/ref=cm_sw_r_cp_dp_T2_JVAqzbZYNC4S.*

(22) Filed: **Jul. 14, 2016**

Related U.S. Application Data

(63) Continuation of application No. 14/635,011, filed on Mar. 2, 2015.

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Brett Miller

(51) **LOC (11) Cl.** **10-04**

(74) *Attorney, Agent, or Firm* — Rankin, Hill & Clark LLP

(52) **U.S. Cl.**
USPC **D10/46.2**; D7/532

(58) **Field of Classification Search**
USPC D10/46.2, 46.3, 96, 101; D9/435, 436, D9/440, 447; D24/116, 224; D7/392, D7/396.2, 397-398, 316-319, 509-511, D7/526, 530-532, 700, 523, 507; 141/381; 222/566; 220/717; 73/426, 73/427; D11/152
CPC B65D 41/26; B65D 47/06; G01F 19/00; G01F 19/002
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a measuring container, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a measuring container;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, the left side being a mirror image;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.
The broken lines depict portions of the measuring container that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D77,873 S * 3/1929 Beatty D7/531
D233,297 S * 10/1974 Raymer D11/152
5,415,339 A 5/1995 Howard

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D662,355	S	6/2012	Tyson et al.	
8,444,022	B2	5/2013	Holcomb et al.	
D735,601	S *	8/2015	Thuma	D11/152
D739,038	S *	9/2015	Perry	D24/224
D755,571	S *	5/2016	Cheng	D7/523
D769,047	S *	10/2016	Hsu	D7/317
9,541,440	B2 *	1/2017	Larson	G01F 19/00
2008/0223861	A1	9/2008	Agresta et al.	
2012/0037618	A1	2/2012	Perez	
2013/0270279	A1	10/2013	Fredland	
2014/0332440	A1	11/2014	Marcus et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6