



US00D808922S

(12) **United States Design Patent**  
**Waterman et al.**

(10) **Patent No.:** **US D808,922 S**

(45) **Date of Patent:** **\*\* Jan. 30, 2018**

(54) **TURNTABLE**

(71) Applicant: **Harman International Industries, Incorporated**, Northridge, CA (US)

(72) Inventors: **Matthew Nathan Waterman**, Middletown, CT (US); **Jason Santosh Gokavi**, Shenzhen (CN); **Todd A Eichenbaum**, Oxford, CT (US)

(73) Assignee: **Harman International Industries, Incorporated**, Northridge, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/589,207**

(22) Filed: **Dec. 29, 2016**

(51) **LOC (11) Cl.** ..... **14-01**

(52) **U.S. Cl.**  
USPC ..... **D14/203**; D14/496; D14/199

(58) **Field of Classification Search**  
USPC ..... D14/496, 474, 479, 497, 199-203;  
369/189, 192.1, 196, 217, 229, 264-269,  
369/270.1, 270.2  
CPC .... G11B 3/00; G11B 3/60; G11B 3/64; G11B  
3/68

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |                  |                       |
|---------------|---------|------------------|-----------------------|
| D231,681 S    | 5/1974  | Takahashi et al. |                       |
| D231,751 S    | 6/1974  | Takahashi et al. |                       |
| D231,752 S    | 6/1974  | Takahashi        |                       |
| D231,798 S    | 6/1974  | Takahashi        |                       |
| D247,488 S *  | 3/1978  | Ohtomo           | D14/202               |
| D249,143 S    | 8/1978  | Ohtomo           |                       |
| 4,118,037 A * | 10/1978 | Ngai             | G11B 3/001<br>369/153 |
| D250,333 S    | 11/1978 | Meunier          |                       |
| D250,334 S *  | 11/1978 | Meunier          | D14/203               |

|               |         |            |                         |
|---------------|---------|------------|-------------------------|
| D252,330 S *  | 7/1979  | Leech      | D14/203                 |
| D252,393 S *  | 7/1979  | Kashidaira | D14/203                 |
| D253,648 S    | 12/1979 | Ohtomo     |                         |
| 4,189,155 A * | 2/1980  | Ngai       | A63H 33/3027<br>369/243 |
| D256,462 S *  | 8/1980  | Vachus     | D14/261                 |
| D258,652 S *  | 3/1981  | Guillon    | D14/261                 |
| D261,388 S *  | 10/1981 | Vachus     | D14/261                 |
| D265,196 S    | 6/1982  | Matsumura  |                         |
| 4,954,291 A * | 9/1990  | Kobayashi  | C08K 5/0008<br>252/1    |

(Continued)

**OTHER PUBLICATIONS**

VPI Classic Signature, VPI Industries, circa 2015, retrieved from <<<http://www.vpiindustries.com/classic-signature>>>.

(Continued)

*Primary Examiner* — Prabhakar G Deshmukh  
(74) *Attorney, Agent, or Firm* — Plumsea Law Group, LLC


(57) **CLAIM**

The ornamental design for a turntable, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a turntable showing our new design;  
FIG. 2 is a front elevational view of the turntable of FIG. 1;  
FIG. 3 is a rear elevational view of the turntable of FIG. 1;  
FIG. 4 is a side elevational view of one side of the turntable of FIG. 1;  
FIG. 5 is a side elevational view of the opposite side of the turntable of FIG. 1; and,  
FIG. 6 is a top plan view of the turntable of FIG. 1.  
The broken line environment is for illustrative purpose and forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**


U.S. PATENT DOCUMENTS

5,040,164 A \* 8/1991 Liu ..... G11B 27/10  
369/213  
D433,011 S 10/2000 O'Donnell et al.  
D454,552 S \* 3/2002 Nakane ..... D14/168  
6,469,974 B1 \* 10/2002 Kaneko ..... G11B 3/60  
369/127  
D491,915 S 6/2004 Warden  
D519,102 S 4/2006 Liu

OTHER PUBLICATIONS


Notice of Allowance dated Jul. 17, 2017 in Design U.S. Appl. No.  
29/576,066, filed Aug. 31, 2016.

\* cited by examiner




**FIG. 1**







**FIG. 2**



**FIG. 3**




**FIG. 4**



**FIG. 5**





**FIG. 6**