



US00D809033S

(12) **United States Design Patent**
Wakisaka et al.

(10) **Patent No.:** **US D809,033 S**
(45) **Date of Patent:** **** Jan. 30, 2018**

(54) **RETAINER FOR ROLLING BEARING**

8,894,294 B2 * 11/2014 Durney F16C 33/6629
384/578

(71) Applicant: **NTN CORPORATION**, Kuwana-shi,
Mie (JP)

9,062,710 B2 * 6/2015 Lee F16C 19/381
9,086,094 B2 * 7/2015 Egami F16C 9/02

(Continued)

(72) Inventors: **Takashi Wakisaka**, Kuwana (JP);
Yasuyoshi Hayashi, Kuwana (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **NTN CORPORATION**, Osaka-shi,
Osaka (JP)

KR 30-0815196 S 9/2015

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/549,667**

Notice to File a Response for KR Design 30-2015-0067491 dated
May 9, 2016.

(22) Filed: **Dec. 28, 2015**

Primary Examiner — Patricia A Palasik

(51) **LOC (11) Cl.** **15-09**

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds &
Lowe, P.C.

(52) **U.S. Cl.**

USPC **D15/143**

(58) **Field of Classification Search**

CPC F16C 19/26; F16C 19/28; F16C 19/48;
F16C 19/361; F16C 33/48; F16C 33/56;
F16C 33/467; F16C 33/502; F16C
33/4635; F16C 33/4676; F16C 43/04;
F16C 2208/20

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a retainer for rolling bearing, as
shown and described.

DESCRIPTION

FIG. 1 is a front view of the retainer for rolling bearing;
FIG. 2 is a back view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a respective view thereof;
FIG. 8 is a sectional view taken along line 8-8 in FIG. 1;
FIG. 9 is an enlarged partial view along line 9-9 in FIG. 1;
FIG. 10 is an enlarge partial view along line 10-10 in FIG.
7; and,
FIG. 11 is an enlarge partial view along line 11-11 in FIG.
7.



The broken line showing is for the purpose of illustrating
environmental structure and forms no part of the claimed the
design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,015,229 A * 9/1935 Miller F16C 19/364
384/575
5,647,674 A * 7/1997 Ohashi F16C 33/4629
384/575
7,229,215 B2 * 6/2007 Kotani F16C 19/463
384/572
7,471,198 B2 * 12/2008 Yamamoto F16C 33/4623
235/385
7,832,943 B2 * 11/2010 Hashimoto F16C 19/466
384/548
8,794,845 B2 * 8/2014 Beck F16C 33/4611
384/573



(56)

References Cited

U.S. PATENT DOCUMENTS

9,140,303 B2 * 9/2015 Dittmar F16C 33/4635
9,217,470 B2 * 12/2015 Beck F16C 43/04
9,422,981 B2 * 8/2016 Kamiji F16C 33/547
D768,743 S * 10/2016 Yamamoto D15/143
D770,547 S * 11/2016 Yamamoto D15/143
9,512,882 B2 * 12/2016 Wei F16C 19/28
9,556,907 B2 * 1/2017 Shimizu F16C 33/4635
9,581,193 B2 * 2/2017 Brzezinski F16C 19/381
9,593,714 B1 * 3/2017 Ince F16C 33/4676
9,623,474 B2 * 4/2017 Steblau B21D 53/12
9,638,250 B2 * 5/2017 Steblau F16C 33/504
9,664,231 B2 * 5/2017 Omoto F16C 33/56
2003/0053727 A1 * 3/2003 Yokota F16C 19/44
384/580
2003/0068110 A1 * 4/2003 Matsui F16C 33/4623
384/572
2005/0185874 A1 * 8/2005 Yokota F16C 19/46
384/572
2006/0204158 A1 * 9/2006 Kobayashi B21D 53/12
384/574
2010/0278472 A1 * 11/2010 Oishi B21D 53/12
384/572
2014/0248018 A1 * 9/2014 Omoto F16C 33/56
384/576
2015/0300409 A1 * 10/2015 Shimizu F16C 33/4635
384/576
2016/0010690 A1 * 1/2016 Shimizu F16C 19/364
384/560

* cited by examiner

Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8



Fig. 9




Fig. 10




Fig. 11

