



US00D809384S

(12) **United States Design Patent** (10) **Patent No.:** **US D809,384 S**
Best et al. (45) **Date of Patent:** **** Feb. 6, 2018**

(54) **BOTTLE CAP WITH L-SHAPE HANDLE**

(71) Applicant: **Can't Live Without It, LLC**, New York, NY (US)

(72) Inventors: **James Best**, Hewitt, NJ (US); **Clay Allen Burns**, New York, NY (US)

(73) Assignee: **CAN'T LIVE WITHOUT IT, LLC**, New York, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/596,858**

(22) Filed: **Mar. 10, 2017**

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/443**

(58) **Field of Classification Search**
USPC D3/10, 202, 203.1, 203.2, 273, 275, 291, D3/294, 318, 215; D7/312, 317, 321,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

321,236 A * 6/1885 Morgan B65D 45/24
215/280
358,189 A * 2/1887 Denebeim B65D 55/06
215/278

(Continued)

FOREIGN PATENT DOCUMENTS

CN 303506007 * 12/2015
KR 3007733220000 * 11/2014
NO 020160345-0001 * 4/2016

OTHER PUBLICATIONS

Swell Bottle: Announced Apr. 15, 2017 [online], site visited:
Available from Internet URL: https://web.archive.org/web/20170415223309/https://www.swellbottle.com/bottles.*

(Continued)

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine S Posthauer

(74) *Attorney, Agent, or Firm* — Dentons US LLP

(57) **CLAIM**

The ornamental design for a bottle cap with L-shaped handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a bottle cap with L-shape handle showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right-side elevation view thereof;
FIG. 5 is a left-side elevation view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view thereof, showing the handle in an alternate position of use;
FIG. 9 is a front elevation view thereof;
FIG. 10 is a rear elevation view thereof;
FIG. 11 is a right-side elevation view thereof;
FIG. 12 is a left-side elevation view thereof;
FIG. 13 is a top view thereof;
FIG. 14 is a bottom view thereof;
FIG. 15 is a perspective view of a second embodiment of a bottle cap with an L-shape handle;
FIG. 16 is a front elevation view thereof;
FIG. 17 is a rear elevation view thereof;
FIG. 18 is a right-side elevation view thereof;
FIG. 19 is a left-side elevation view thereof;
FIG. 20 is a top view thereof;
FIG. 21 a bottom view thereof;
FIG. 22 is a perspective view thereof, showing the handle in an alternate position of use;
FIG. 23 s a front elevation view thereof;
FIG. 24 is a rear elevation view thereof;
FIG. 25 is a right-side elevation view thereof;
FIG. 26 is a left-side elevation view thereof;
FIG. 27 is a top view thereof;
FIG. 28 is a bottom view thereof;

(Continued)




FIG. 29 is a perspective view of a third embodiment of a bottle cap with an L-shape handle;
 FIG. 30 is a front elevation view thereof;
 FIG. 31 is a rear elevation view thereof;
 FIG. 32 is a right-side elevation view thereof;
 FIG. 33 is a left-side elevation view thereof;
 FIG. 34 is a top view thereof;
 FIG. 35 is a bottom view thereof;
 FIG. 36 is a perspective view thereof, showing the handle in an alternate position of use;
 FIG. 37 is a front elevation view thereof;
 FIG. 38 is a rear elevation view thereof;
 FIG. 39 is a right-side elevation view thereof;
 FIG. 40 is a left-side elevation view thereof;
 FIG. 41 is a top view thereof;
 FIG. 42 is a bottom view thereof;
 FIG. 43 is a perspective view of a fourth embodiment of a bottle cap with an L-shape handle;
 FIG. 44 is a front elevation view thereof;
 FIG. 45 is a rear elevation view thereof;
 FIG. 46 is a right-side elevation view thereof;
 FIG. 47 is a left-side elevation view thereof;
 FIG. 48 is a top view thereof;
 FIG. 49 is a bottom view thereof;
 FIG. 50 is a perspective view thereof, showing the handle in an alternate position of use;
 FIG. 51 is a front elevation view thereof;
 FIG. 52 is a rear elevation view thereof;
 FIG. 53 is a right-side elevation view thereof;
 FIG. 54 is a left-side elevation view thereof;
 FIG. 55 is a top view thereof; and,
 FIG. 56 is a bottom view thereof.
 The broken lines are shown for the purpose of illustrating environmental subject matter that forms no part of the claim.

1 Claim, 32 Drawing Sheets

(58) **Field of Classification Search**

USPC D7/322, 396.2, 500, 505, 507, 509, 510, D7/511, 523, 538, 601, 602, 608, 619.1, D7/629, 300-305, 392.1, 513, 533, 536, D7/586; D8/300, 302, 303, 306, 307, D8/308, 310, 315, 333, 349, 350, 352, D8/354, 356, 382, 383, 394, 395; D9/418, 434-440, 443-450, 500, 502, D9/503, 505, 516, 528, 529, 530, 531, D9/534, 537, 538, 544, 545, 546, 549, D9/550, 563, 682, 686, 688, 715, 719, D9/738, 523-527, 536; D19/70, 71, 115, D19/162, 163, 165, 192, 194; D24/121, D24/127, 197, 224
 CPC B65D 39/00; B65D 39/16; B65D 42/00; B65D 42/02; B65D 43/32; B65D 45/04; B65D 50/00; B65D 50/02; B65D 51/005; B65D 51/007; B65D 51/14; B65D

51/145; B65D 51/18; B65D 51/28; B65D 51/2807; B65D 53/02; B65D 47/122; B65D 47/305; B65D 47/06; B65D 47/061; B65D 47/065; B65D 47/08; B65D 2543/00046; B65D 2543/00027; B65D 2543/00053; B65D 2543/00009; B65D 2539/00; B65D 41/00; B65D 41/02; B65D 41/0225; B65D 41/0233; B65D 41/06; B65D 41/12; A47G 19/00; A47G 19/2272; A47G 19/22; A47G 19/2205

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|---------|------------------|-------|------------------------|
| 1,338,494 | A * | 4/1920 | Daniel | | B65D 39/16 215/272 |
| 1,421,118 | A * | 6/1922 | Anderson | | B65D 39/00 215/241 |
| 1,669,216 | A * | 5/1928 | Stanley | | B65D 45/04 215/238 |
| 1,723,260 | A * | 8/1929 | Thomssen | | B65D 55/06 215/278 |
| 2,169,448 | A * | 8/1939 | Linch | | B65D 55/063 215/291 |
| D149,834 | S * | 6/1948 | Perkins | | D9/443 |
| 3,000,527 | A | 9/1961 | Jennings et al. | | |
| 3,311,252 | A | 3/1967 | Swartwood et al. | | |
| 3,462,035 | A | 8/1969 | Grussen | | |
| D276,790 | S * | 12/1984 | Laske | | D9/443 |
| D284,549 | S * | 7/1986 | Vaussanvin | | D3/202 |
| D306,970 | S * | 4/1990 | Bauer-Secundus | | D9/536 |
| D332,912 | S * | 2/1993 | Trussardi | | D9/448 |
| D380,386 | S * | 7/1997 | Dinand | | D9/435 |
| D414,685 | S * | 10/1999 | Chahed | | D9/443 |
| D415,426 | S * | 10/1999 | Herrmann | | D9/443 |
| D495,603 | S | 9/2004 | Walsh et al. | | |
| D641,594 | S * | 7/2011 | Huang | | D7/608 |
| D686,886 | S | 7/2013 | Meyers et al. | | |
| D686,888 | S | 7/2013 | Meyers et al. | | |
| 8,833,586 | B2 | 9/2014 | Meyers et al. | | |
| D743,269 | S * | 11/2015 | Pape | | D9/550 |
| D786,012 | S * | 5/2017 | Hein | | D7/396.2 |
| D787,935 | S * | 5/2017 | Kaiser | | D9/435 |
| 2017/0158412 | A1 * | 6/2017 | Seiders | | B65D 25/2835 |

OTHER PUBLICATIONS

Reusit Stainless Steel Water Bottle: Site Visited Jun. 29, 2017 [online]. Available from Internet URL: <http://www.reuseit.com/reuseit-insulated-stainless-steel-water-bottle-with-handle-17oz.htm>.*

Stainless Steel Replacement Lid for Hydro Flask: Site Visited Jun. 29, 2017 [online]. Available from Internet URL: <https://www.pinterest.com/pin/821695894483260180/>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56