



US00D809592S

(12) **United States Design Patent** (10) **Patent No.:** **US D809,592 S**
Tashima (45) **Date of Patent:** **** Feb. 6, 2018**

(54) **PRINTER**

(71) Applicant: **BROTHER INDUSTRIES, LTD.**,
Nagoya-shi, Aichi-ken (JP)

(72) Inventor: **Kazuhisa Tashima**, Nagoya (JP)

(73) Assignee: **BROTHER INDUSTRIES, LTD.**,
Nagoya (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/571,062**

(22) Filed: **Jul. 14, 2016**

(30) **Foreign Application Priority Data**

Jan. 20, 2016 (JP) 2016-946

(51) **LOC (11) Cl.** **18-02**

(52) **U.S. Cl.**
USPC **D18/50**

(58) **Field of Classification Search**
USPC D18/50, 55, 36-37, 39; 347/3
CPC B41J 11/58; B41J 15/12; B41J 15/042;
G06K 15/12; G06K 15/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D297,436 S *	8/1988	Okuyama	D18/36
D327,701 S *	7/1992	Kosako	D18/36
D378,099 S *	2/1997	Yoshida	D18/36
D434,434 S *	11/2000	Short	D14/420
D536,373 S *	2/2007	Inoue	D18/55
D539,337 S *	3/2007	Kato	14/422
D544,530 S *	6/2007	Omuro	D18/50
D562,380 S *	2/2008	Kato	D18/50
D567,283 S *	4/2008	Larson	D18/50
D584,347 S *	1/2009	Hong	D18/55
D601,185 S *	9/2009	Kim	D18/50
D607,050 S *	12/2009	Iritani	D18/55

D607,507 S *	1/2010	Kimura	D18/55
D624,956 S *	10/2010	Park	D18/39
D632,732 S	2/2011	Park et al.		
D641,397 S	7/2011	Kim et al.		
D644,685 S *	9/2011	Asano	D18/50
D645,078 S	9/2011	Kim et al.		
D647,130 S	10/2011	Kim et al.		
D661,346 S	6/2012	Suzuki et al.		
D662,974 S	7/2012	Suzuki et al.		
D664,193 S *	7/2012	Larson	D18/55

(Continued)

FOREIGN PATENT DOCUMENTS

CN	301860743 S	3/2012
CN	301883096 S	4/2012

OTHER PUBLICATIONS

Nov. 4, 2016 Office Action issued in U.S. Appl. No. 29/464,324.

(Continued)

Primary Examiner — Robin V Webster
Assistant Examiner — James C Thorn, Sr.
(74) *Attorney, Agent, or Firm* — Oliff PLC


(57) **CLAIM**

The ornamental design for a printer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a printer;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D667,490 S 9/2012 Inoue et al.
D674,010 S * 1/2013 Nanno D18/55
D678,403 S * 3/2013 Seki D18/50
D729,310 S 5/2015 Nakagawa et al.
D730,437 S * 5/2015 Seki D18/50
D761,903 S * 7/2016 Matsumoto D18/50
D768,768 S * 10/2016 Takahashi D18/50
D785,084 S * 4/2017 Azegami D18/19
D792,508 S * 7/2017 Nakagawa D18/50
D794,707 S * 8/2017 Nanno D18/50
2017/0165985 A1* 6/2017 Sone B41J 11/70

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/464,337, filed Aug. 15, 2013.
Design U.S. Appl. No. 29/464,324, filed Aug. 15, 2013.
Dec. 6, 2016 Office Action issued in U.S. Appl. No. 29/464,337.
Apr. 20, 2017 Office Action issued in U.S. Appl. No. 29/464,324.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7