

US00D809704S

(12) **United States Design Patent** (10) **Patent No.:** **US D809,704 S**
Klus (45) **Date of Patent:** **** Feb. 6, 2018**

(54) **HOUSING FOR LED-BASED LIGHTING APPARATUS**

(71) Applicant: **Sylwester Klus**, Kamionka (PL)

(72) Inventor: **Sylwester Klus**, Kamionka (PL)

(**) Term: **14 Years**

(21) Appl. No.: **29/514,270**

(22) Filed: **Jan. 9, 2015**

(51) **LOC (11) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/142**

(58) **Field of Classification Search**
USPC D26/2, 28, 72, 89, 113, 118, 119, 120,
D26/122, 124, 128, 138, 142, 143, 145,
D26/60; D13/180
CPC F41C 27/00; F41C 33/0254; G02B 5/045;
G02B 5/189; F21S 8/00; F21S 8/03;
F21S 8/026; F21S 8/02; F21S 8/003;
F21S 8/043; F21S 8/06; F21S 8/04; F21V
7/005; F21V 15/01; F21V 15/04; F21V
25/00; G02F 2001/133607; F21Y 2103/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D292,619 S *	11/1987	Chen		D26/141
D317,513 S *	6/1991	Miller		D13/155
D318,139 S *	7/1991	Miller		D13/155
D318,343 S *	7/1991	Miller		D13/155
D318,742 S *	7/1991	Miller		D13/155
D631,171 S *	1/2011	Konrad		D25/124
D649,682 S *	11/2011	Trzesniowski		D26/138
D649,683 S *	11/2011	Trzesniowski		D26/138
D649,691 S *	11/2011	Trzesniowski		D26/138
D649,692 S *	11/2011	Trzesniowski		D26/138
D652,568 S *	1/2012	Trzesniowski		D26/138

D652,985 S *	1/2012	Trzesniowski		D26/138
D652,986 S *	1/2012	Trzesniowski		D26/138
D700,395 S *	2/2014	Cavaliere		D26/142
D702,875 S *	4/2014	Klus		D25/122
D724,256 S *	3/2015	Klus		D26/141
D724,257 S *	3/2015	Klus		D26/141
D724,258 S *	3/2015	Klus		D26/141
D724,259 S *	3/2015	Klus		D26/141
D724,260 S *	3/2015	Klus		D26/141
D724,261 S *	3/2015	Klus		D26/141
D733,354 S *	6/2015	Klus		D26/138
D733,355 S *	6/2015	Klus		D26/138

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Mark Terry



(57) **CLAIM**

The ornamental design for housing for an LED-based lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a housing for an LED-based lighting apparatus, showing the new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a top view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a rear view thereof; FIG. 8 is a left side view thereof; FIG. 9 is a front view thereof; FIG. 10 is a right side view thereof; FIG. 11 is an exploded front perspective view thereof; and, FIG. 12 is an exploded rear perspective view thereof. The uniformly dashed lines shown in the drawings illustrate portions of the housing for an LED-based lighting apparatus which form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D757,993	S	*	5/2016	Klus	D26/138
D767,199	S	*	9/2016	Wronski	D26/142

* cited by examiner




FIG.1




FIG.2




FIG.4




FIG.6




FIG.3




FIG.5




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12