



US00D809899S

(12) **United States Design Patent**
Knight et al.

(10) **Patent No.:** **US D809,899 S**

(45) **Date of Patent:** **** Feb. 13, 2018**

- (54) **ILLUMINATED LIGHT SWITCH PLATE**
- (71) Applicants: **Darren Charles Knight**, Pleasant Grove, UT (US); **Richard Camden Robinson**, Lindon, UT (US)
- (72) Inventors: **Darren Charles Knight**, Pleasant Grove, UT (US); **Richard Camden Robinson**, Lindon, UT (US)
- (73) Assignee: **SnapRays LLC**, Vineyard, VT (US)

- 4,833,277 A * 5/1989 Jacoby, Jr. H02G 3/14 174/66
- 5,485,356 A * 1/1996 Nguyen H01R 13/717 174/66
- 5,670,776 A * 9/1997 Rothbaum F21S 8/035 250/214 AL
- 5,683,166 A * 11/1997 Lutzker H05B 33/06 250/466.1
- D390,774 S * 2/1998 Lutzker D13/158
- 5,833,350 A * 11/1998 Moreland H01H 9/18 200/312
- D541,222 S * 4/2007 Mayo D13/162
- 7,506,990 B2 * 3/2009 Glazner F21S 8/035 200/317
- D603,809 S * 11/2009 Mathew D13/169

(**) Term: **15 Years**

(21) Appl. No.: **29/551,208**

(22) Filed: **Jan. 11, 2016**

(51) **LOC (11) Cl.** **11-05**

(52) **U.S. Cl.**
USPC **D8/353**

(58) **Field of Classification Search**
USPC D8/16, 19, 350, 353, 354, 364, 366, 499, D8/380, 381; D13/125, 169, 170, 177
CPC . H02G 3/14; H01R 31/06; H01H 9/16; H01H 9/18
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,575,820 A * 11/1951 Linton H01H 9/161 200/317
- 2,749,381 A * 6/1956 Farish, Jr. H01R 13/648 174/51
- D192,804 S * 5/1962 Grieshaber D8/350
- 4,000,405 A * 12/1976 Horwinski F21S 8/035 362/95
- 4,038,582 A * 7/1977 Horwinski H01H 9/182 200/317
- 4,255,780 A * 3/1981 Sakellaris H01H 9/182 200/310
- 4,755,913 A * 7/1988 Sleveland H01H 9/161 200/310

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Alison M Ofstun


(57) **CLAIM**

The ornamental design for a illuminated light switch plate, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective of an illuminated light switch plate showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom perspective view thereof; and,
FIG. 8 is a front perspective view of a second embodiment of an illuminated light switch plate.
The broken lines represent portions of the design that form no part of the claim. The back of the light switch guidelight is not visible during use and forms no part of the claimed design. Consequently, the back of the illuminated light switch plate is not illustrated.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D633,777 S * 3/2011 Chen D8/353
8,912,442 B2 * 12/2014 Smith H02G 3/14
174/66
9,362,728 B2 * 6/2016 Smith H02G 3/081
2006/0072302 A1 * 4/2006 Chien F21S 8/035
362/84
2013/0043112 A1 * 2/2013 Rubio H01H 23/146
200/331
2015/0077021 A1 * 3/2015 Smith F21V 23/0435
315/362
2016/0248202 A1 * 8/2016 Smith H02G 3/14

* cited by examiner




Fig. 1




Fig. 6




Fig. 4




Fig. 2




Fig. 5




Fig. 3




Fig. 7




Fig. 8