



US00D809981S

(12) **United States Design Patent** (10) **Patent No.:** **US D809,981 S**
Seo (45) **Date of Patent:** **** Feb. 13, 2018**

(54) **REAR BUMPER FOR AUTOMOBILE**

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama, Kanagawa (JP)

(72) Inventor: **Kuniharu Seo**, Kanagawa (JP)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/584,451**

(22) Filed: **Nov. 15, 2016**

(30) **Foreign Application Priority Data**

May 16, 2016 (JP) 2016-010310

(51) **LOC (11) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/169**

(58) **Field of Classification Search**
USPC D12/86, 90, 91, 92, 163, 164, 169, 171, D12/196, 216
CPC B60R 19/02; B60R 19/18; B60R 19/24; B60R 19/56; B60R 2019/007
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D583,723 S *	12/2008	Murakami	D12/169
D614,545 S *	4/2010	Ono	D12/169
D640,613 S *	6/2011	Bauer	D12/169
D675,140 S *	1/2013	Ohkoshi	D12/169
D683,282 S *	5/2013	Fuchigami	D12/169
D683,283 S *	5/2013	Choi	D12/169
D683,285 S *	5/2013	Yoshida	D12/169
D684,905 S *	6/2013	Tase	D12/169
D702,160 S *	4/2014	Miyazawa	D12/169
D705,140 S *	5/2014	Kawasaki	D12/169
D712,802 S *	9/2014	Scheinhuette	D12/169

D716,707 S *	11/2014	Takei	D12/169
D724,504 S *	3/2015	Hall	D12/169
D725,010 S *	3/2015	Takei	D12/169
8,979,181 B2 *	3/2015	Slack	B60R 13/04 296/210
D746,188 S *	12/2015	Nakagawa	D12/169
D753,032 S *	4/2016	Smith	D12/169
D773,352 S *	12/2016	Munakata	D12/169
D773,354 S *	12/2016	Liu	D12/169
D773,966 S *	12/2016	Choi	D12/169

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1161487 S	12/2002
JP	D1320243 S	1/2008

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP


(57) **CLAIM**

The ornamental design for a rear bumper for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a rear bumper for an automobile in accordance with our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a bottom, front, and left-side perspective view thereof; and, FIG. 7 is a top, front, and right-side perspective view thereof. The broken lines in the drawings illustrate portions of the rear bumper for automobile that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D779,395 S * 2/2017 Horie D12/169
D787,989 S * 5/2017 Kozub D12/169
D789,259 S * 6/2017 Seo D12/169
2008/0036222 A1* 2/2008 Iwamoto F01N 13/082
293/113
2008/0073929 A1* 3/2008 Kimura B60J 5/101
296/57.1
2014/0292006 A1* 10/2014 Francis B60R 19/18
293/107

FOREIGN PATENT DOCUMENTS

JP D1389608 S 6/2010
JP D1389611 S 6/2010
JP D1404481 S 1/2011
JP D1434617 S 2/2012
JP D1445040 S 7/2012
JP D1451504 S 9/2012
JP D1457892 S 12/2012
JP D1465444 S 3/2013
JP D1489383 S 2/2014
JP D1504008 S 8/2014
JP D1489460 S 2/2015
JP D1501249 S 6/2015
JP D1529416 S 7/2015
JP D1530848 S 8/2015
JP D1536838 S 11/2015
JP D1516874 S 2/2016
JP D1562808 S 11/2016
JP D157295 S 3/2017
JP D1546048 S 3/2017
JP D1538314 S 11/2017

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7