



US00D810004S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,004 S**
Hutz et al. (45) **Date of Patent:** **** *Feb. 13, 2018**

(54) **TREAD**

(71) Applicants: **Compagnie Generale des Etablissements Michelin,**
Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.,**
Granges-Paccot (CH)

(72) Inventors: **John Anthony Hutz,** Greer, SC (US);
Patrick Jon Buresh, Bend, OR (US);
Randy Kent Lewis, Greenville, SC (US)

(73) Assignee: **Compagnie Generale des Etablissements Michelin,**
Clermont-Ferrand (FR)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/541,416**

(22) Filed: **Oct. 2, 2015**

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/564**

(58) **Field of Classification Search**
USPC D12/533–567
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D395,627 S * 6/1998 Ball D12/558
D400,830 S * 11/1998 Gerresheim D12/551
D403,283 S * 12/1998 Ball D12/558
D446,170 S 8/2001 Williams
D449,816 S * 10/2001 Hutz D12/564

D451,852 S * 12/2001 Heinen D12/503
D467,864 S * 12/2002 Whetzel D12/559
D640,966 S * 7/2011 Fontaine D12/563
D647,030 S * 10/2011 Arakawa D12/535
D656,889 S 4/2012 Grolier et al.
D659,077 S 5/2012 Delhommeau
D667,777 S 9/2012 Jamot et al.
D669,021 S 10/2012 Cano et al.
D718,224 S 11/2014 Guichon et al.
D722,290 S * 2/2015 Jamot D12/563
D739,809 S * 9/2015 Reim D12/547
D754,588 S * 4/2016 Hye D12/544

(Continued)

OTHER PUBLICATIONS

Vredstein SnowTrac 3 Tire found online [Jul. 3, 2016] http://tiresaddict.com/vendor/vredstein/snowtrac_3/.*

Primary Examiner — Robert M. Spear

Assistant Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — John Steckler Schwab

(57) **CLAIM**

The ornamental design for a tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats throughout the outer circumference and shoulder of the tire, the opposite side perspective being identical thereto;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a side elevation view of the right side thereof;


FIG. 4 is a side elevation view of the left side thereof;

FIG. 5 is the front elevation view of FIG. 2 with a cut line A-A; and,

FIG. 6 is a cross-sectional view taken along line A-A of FIG. 5.

In the drawings, the broken line disclosure of the tire sidewall and inner bead depicts environmental structure and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,292	S	*	5/2016	Yoon		D12/545
D758,286	S	*	6/2016	Hye		D12/544

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6