



US00D810104S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,104 S**
Schuh et al. (45) **Date of Patent:** **** Feb. 13, 2018**

(54) **DISPLAY SCREEN WITH GRAPHICAL USER INTERFACE**

5,754,738 A 5/1998 Saucedo et al.
5,844,554 A 12/1998 Geller et al.
5,917,730 A 6/1999 Rittie et al.
6,021,402 A 2/2000 Takriti
D428,399 S * 7/2000 Kahn D14/488
(Continued)

(71) Applicant: **Kohler Co.**, Kohler, WI (US)

(72) Inventors: **David Schuh**, Cascade, WI (US);
James Kukla, Kohler, WI (US)

(73) Assignee: **Kohler, Co.**, Kohler, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/549,117**

(22) Filed: **Dec. 18, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/942,394,
filed on Nov. 16, 2015.

(51) **LOC (11) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**; D14/488

(58) **Field of Classification Search**
USPC D14/485-495
CPC ... G06F 3/0481; G06F 3/0482; G06F 3/04842
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,419,619 A 12/1983 Jindrick et al.
4,455,619 A 6/1984 Masui et al.
4,862,376 A 8/1989 Ferriter et al.
5,317,525 A 5/1994 Taoka et al.
5,347,466 A 9/1994 Nichols et al.
5,355,317 A 10/1994 Talbott et al.
5,357,440 A 10/1994 Talbott et al.
5,497,334 A 3/1996 Russell et al.
5,566,085 A 10/1996 Marceau et al.
D384,051 S * 9/1997 Kodosky D14/490
5,666,297 A 9/1997 Britt et al.
5,732,192 A 3/1998 Malin et al.

FOREIGN PATENT DOCUMENTS

CN 102722764 10/2012
EP 1261096 11/2002
(Continued)

OTHER PUBLICATIONS

Kurdi, Chad, Generator Sizing Cummins Software, Feb. 14, 2012,
youtube.com https://www.youtube.com/watch?v=uxyzA0GU4rQ.*
(Continued)

Primary Examiner — Karen E Kearney
Assistant Examiner — Katherine A Holbrow
(74) *Attorney, Agent, or Firm* — Lempia Summerfield
Katz LLC


(57) **CLAIM**

The ornamental design for a display screen with graphical
user interface, as shown and described.

DESCRIPTION

The FIGURE is a front view of a display screen with
graphical user interface showing the new design.
The ornamental design which is claimed is shown in solid
lines in the drawing. The outer two broken line rectangles in
the drawing showing the display screen and the other
even-dash broken lines showing portions of the graphical
user interface are included for the purpose of illustrating
portions of the article only and form no part of the claimed
design. The dot-dash lines show the bounds of the claimed
design and form no part thereof.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

6,112,015 A 8/2000 Planas et al.
 D439,585 S * 3/2001 Law D14/487
 6,249,714 B1 6/2001 Hocaoglu et al.
 6,396,279 B1 5/2002 Gruenert
 6,442,515 B1 8/2002 Varma et al.
 6,530,065 B1 3/2003 McDonald et al.
 6,535,370 B1 3/2003 Papallo, Jr. et al.
 6,615,166 B1 9/2003 Guheen et al.
 6,653,821 B2 11/2003 Kern et al.
 6,681,156 B1 1/2004 Weiss
 6,701,298 B1 3/2004 Jutsen
 6,733,384 B2 5/2004 Lantz
 6,816,326 B2 11/2004 Nattermann et al.
 6,845,299 B2 1/2005 Christiane et al.
 6,847,853 B1 1/2005 Vinciarelli et al.
 6,853,930 B2 2/2005 Hayashi et al.
 6,868,311 B2 3/2005 Chiang et al.
 6,885,915 B2 4/2005 Rehtanz et al.
 6,892,361 B2 5/2005 Kandogan
 6,907,381 B2 6/2005 Hayashi et al.
 6,996,508 B1 2/2006 Culp et al.
 7,021,974 B2 4/2006 Sichner et al.
 7,024,649 B2 4/2006 Collmeyer et al.
 7,058,916 B2 6/2006 Phelps et al.
 7,065,472 B2 6/2006 Hayashi et al.
 7,103,434 B2 9/2006 Chernyak et al.
 7,233,843 B2 6/2007 Budhraj et al.
 7,288,921 B2 10/2007 Huff et al.
 7,330,767 B2 2/2008 Thiele et al.
 7,335,072 B2 2/2008 Rzadki et al.
 7,353,475 B2 4/2008 White et al.
 7,385,300 B2 6/2008 Huff et al.
 7,386,832 B2 6/2008 Brunner et al.
 7,398,194 B2 7/2008 Evans et al.
 7,406,364 B2 7/2008 Andren et al.
 7,429,201 B2 9/2008 Rzadki et al.
 7,440,813 B2 10/2008 Elhanan et al.
 7,441,225 B2 10/2008 Boutin et al.
 7,475,000 B2 1/2009 Cook et al.
 7,502,774 B2 * 3/2009 Beavers G06F 17/30864
 7,509,596 B2 3/2009 Koo et al.
 7,526,393 B2 4/2009 Thurmond et al.
 D598,027 S * 8/2009 Carpenter D14/488
 7,636,650 B2 12/2009 Khalil
 7,676,721 B2 3/2010 Kim
 7,702,421 B2 4/2010 Sullivan et al.
 7,725,299 B2 5/2010 Ramani et al.
 7,741,730 B2 6/2010 Level et al.
 7,826,990 B2 11/2010 Nasle et al.
 7,860,690 B2 12/2010 Gadamsetty et al.
 7,860,702 B1 12/2010 Evans et al.
 7,873,442 B2 1/2011 Tsui
 7,882,394 B2 2/2011 Hosek et al.
 7,974,809 B2 7/2011 Witter et al.
 8,014,964 B1 9/2011 Khalsa
 8,024,701 B2 9/2011 Cote
 8,027,795 B2 9/2011 Van Gorp et al.
 8,065,654 B2 11/2011 Shiihara et al.
 8,068,923 B2 11/2011 Piche
 8,069,016 B2 11/2011 Feldman et al.
 8,116,916 B1 2/2012 Zeanah et al.
 8,126,685 B2 2/2012 Nasle
 8,131,401 B2 3/2012 Nasle
 8,131,403 B2 3/2012 Forbes, Jr. et al.
 8,155,943 B2 4/2012 Nasle
 8,166,452 B2 4/2012 Kinnucan, Jr. et al.
 8,195,437 B2 6/2012 Timmerhoff
 8,280,696 B1 10/2012 Aarstein et al.
 8,307,289 B2 11/2012 Shah et al.
 8,321,827 B2 11/2012 Sato
 8,330,297 B2 12/2012 Pines
 8,359,248 B2 1/2013 Witter et al.
 D676,865 S * 2/2013 Phelan D14/487
 D677,690 S * 3/2013 Phelan D14/487
 8,397,210 B2 3/2013 Dutta et al.

8,417,061 B2 4/2013 Kennedy et al.
 8,433,531 B2 4/2013 Hancock et al.
 8,533,514 B2 9/2013 Rogers et al.
 8,538,593 B2 9/2013 Sun et al.
 8,543,343 B2 9/2013 Jones et al.
 8,549,422 B2 10/2013 Gutha et al.
 8,560,134 B1 10/2013 Lee
 8,577,652 B2 11/2013 Oh
 8,600,574 B2 12/2013 Hamilton, II et al.
 8,676,721 B2 3/2014 Piovesan et al.
 8,694,291 B2 4/2014 Chu et al.
 8,706,309 B2 4/2014 Schweitzer, III et al.
 8,779,624 B2 7/2014 Spading et al.
 D765,725 S * 9/2016 Reece D14/489
 9,454,281 B2 * 9/2016 Ward G06F 3/0481
 D768,667 S * 10/2016 Lim G06F 3/04817
 D769,277 S * 10/2016 Kim D14/486
 D775,144 S * 12/2016 Vazquez D14/485
 D777,753 S * 1/2017 Matsuguma D14/486
 D778,284 S * 2/2017 Dahlen D14/485
 D782,511 S * 3/2017 Matsuguma D14/486
 D783,665 S * 4/2017 Caporal D14/487
 D788,791 S * 6/2017 Barry D14/485
 D788,798 S * 6/2017 Knapp D14/486
 D789,377 S * 6/2017 Vazquez D14/485
 D789,977 S * 6/2017 Mijatovic D14/488
 D791,151 S * 7/2017 Noack D14/486
 D791,153 S * 7/2017 Rice D14/486
 2002/0193978 A1 12/2002 Soudier
 2003/0085621 A1 5/2003 Potega
 2003/0131323 A1 7/2003 McConaghy
 2005/0012396 A1 1/2005 Chidambaram et al.
 2005/0154566 A1 7/2005 Farrell et al.
 2006/0100934 A1 5/2006 Burr et al.
 2007/0219764 A1 9/2007 Backe et al.
 2008/0015823 A1 1/2008 Arnold et al.
 2008/0262820 A1 10/2008 Nasle
 2009/0031264 A1 1/2009 Rittman et al.
 2009/0083019 A1 3/2009 Nasle
 2010/0217750 A1 8/2010 Tokoro et al.
 2011/0016342 A1 1/2011 Rowan et al.
 2011/0106654 A1 5/2011 Lee et al.
 2011/0196546 A1 8/2011 Muller et al.
 2011/0205245 A1 8/2011 Kennedy et al.
 2011/0264418 A1 10/2011 Szewczyk et al.
 2011/0320848 A1 12/2011 Perry et al.
 2012/0011378 A1 1/2012 Dalton et al.
 2012/0065944 A1 3/2012 Nielsen et al.
 2012/0221986 A1 8/2012 Whitford et al.
 2013/0024037 A1 1/2013 Jin et al.
 2013/0042616 A1 2/2013 Runkle et al.
 2013/0074033 A1 3/2013 Hall et al.
 2013/0262040 A1 10/2013 Buckley
 2013/0275174 A1 10/2013 Bennett et al.
 2013/0305091 A1 11/2013 Stan et al.
 2014/0025347 A1 1/2014 Kim et al.
 2014/0214373 A1 7/2014 Jardin et al.
 2016/0146867 A1 * 5/2016 Schuh G01R 21/133
 702/182

FOREIGN PATENT DOCUMENTS

EP 2038782 12/2011
 WO WO2001090961 11/2001
 WO WO2009042772 4/2009
 WO WO2014035080 3/2014

OTHER PUBLICATIONS

Loftin Equipment, Kohler Releases Power Solutions Center, Jun. 4, 2015, Loftinequip.com <http://www.loftinequip.com/hello-world/>.
 BlockSim: System Reliability and Maintainability Analysis Software Tool, Sep. 29, 2015, ReliaSoft.com/BlockSim/index.html.
 Data Acquisition, Controlling and Monitoring, Jun. 2013, Dasy Lab.
 DesignBase Power Engineering Software, accessed Dec. 15, 2014, Power Analytics.

(56)

References Cited

OTHER PUBLICATIONS

Electrical Engineering and Design System, Documentation and Management for the Entire Lifecycle, 2011, aveva.com.

Generator Set Sizing, Oct. 2008, Version 1.10.00, EDSA Micro Corporation.

IntelliTeam SG, Automatic Restoration System, Featuring IntelliTeam Designer, Dec. 7, 2015, S&C Electric Company.

Paladin DesignBase 5.0, Product Brief, accessed Nov. 3, 2015, DesignBase.

Power Analytics Paladin Software Overview, accessed Nov. 3, 2015, poweranalytics.com/designbase/pso&sizing.php.

Protective Device Coordination, Oct. 2008, Version 6.10.00, EDSA Micro Corporation.

PSS ODMS, Product Overview, 2014, Siemens PTI.

Sequence-of-Operation, accessed Dec. 15, 2014, etap.com/protective-device-coordination/protective-device-sequence-operation.htm.

Windchill Quality Solutions, Curriculum Guide, 2011, PTC University (Relex).

Windchill RBD, 2010, relicore.en/index.php/products/winchill-products-solutions/rbd.

XA/21 EMS, Energy Management System, accessed Dec. 15, 2014, GE Digital Energy.

* cited by examiner

