



US00D810150S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,150 S**
Ruffier (45) **Date of Patent:** **** Feb. 13, 2018**

(54) **REVERSIBLE POINT**

(71) Applicant: **KUHN-HUARD S.A.**, Chateaubriant (FR)

(72) Inventor: **Nicolas Ruffier**, Soudan (FR)

(73) Assignee: **KUHN-HUARD S.A.**, Chateaubriant (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/587,828**

(22) Filed: **Dec. 15, 2016**

(30) **Foreign Application Priority Data**

Jun. 20, 2016 (EM) 001450233-0001

(51) **LOC (11) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/29**

(58) **Field of Classification Search**
USPC D15/11, 17, 21, 27, 25, 26, 28, 29, 32;
172/721, 704; 37/452, 141 R, 141 T,
37/142 R, 142 A

CPC E02F 9/28; E02F 9/2528
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D15,591 S * 12/1884 Pennock 172/721
D30,241 S * 2/1899 Milirons D15/29
D30,422 S * 3/1899 Thompson D15/29
1,461,136 A * 7/1923 Moore E02F 9/2825
37/454
D183,427 S * 8/1958 Lindell 37/452
D207,590 S * 5/1967 Orendorff D15/29
3,755,933 A * 9/1973 Lowrey E02F 9/2858
172/713

D275,681 S * 9/1984 Nja D15/29
D275,757 S * 10/1984 Nja 172/704
D279,476 S * 7/1985 Nja D15/29
D279,567 S * 7/1985 Nja D15/29
D279,568 S * 7/1985 Nja D15/29
D279,786 S * 7/1985 Nja D15/29
D281,326 S * 11/1985 Nja D15/29
D285,205 S * 8/1986 Johnson 111/154
D286,783 S * 11/1986 Johnson D15/29
D290,613 S * 6/1987 Ryan D15/11
D297,940 S * 10/1988 Edmisson D15/29
D335,132 S * 4/1993 Williams D15/29
D341,839 S * 11/1993 Williams D15/29
D364,409 S * 11/1995 Peterson D15/29
D376,373 S * 12/1996 Peterson D15/29
D411,546 S * 6/1999 Chapman D15/11
D415,773 S * 10/1999 Chapman D15/11
D509,228 S * 9/2005 Chapman D15/27
8,857,531 B2 * 10/2014 Smeets A01B 15/06
172/772.5

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Oblon, McClelland,
Maier & Neustadt, L.L.P.


(57) **CLAIM**

The ornamental design for a reversible point, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a reversible point;
FIG. 2 is a front and bottom perspective view thereof;
FIG. 3 is a top plan view thereof, the bottom plan view being
a mirror image of the top plan view shown;
FIG. 4 is a left side elevational view thereof, the right side
elevational view being a mirror image of the left side
elevational view shown; and,
FIG. 5 is a rear, bottom, and right side perspective view
thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5