



US00D810590S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,590 S**  
**Jacoby et al.** (45) **Date of Patent:** **\*\* \*Feb. 20, 2018**

(54) **TEMPERATURE CONTROL DEVICE**

23/27503; G05D 23/1919; G05D 23/19;  
G05D 23/2723; G05D 23/00; G09F  
13/22; G09F 9/53; G06F 1/1684; G06F  
1/30; G06F 3/0362; G06F 3/038; H05B  
33/0854; H05B 37/0218; H05K 5/0017;  
H05K 5/0243;

(71) Applicant: **Lutron Electronics Co., Inc.**,  
Coopersburg, PA (US)

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);  
**Jason C. Killo**, Emmaus, PA (US);  
**Brad Michael Kreschollek**, Bethlehem,  
PA (US)

(Continued)

(56) **References Cited**

(73) Assignee: **Lutron Electronics Co., Inc.**,  
Coopersburg, PA (US)

U.S. PATENT DOCUMENTS

(\*) Notice: This patent is subject to a terminal dis-  
claimer.

4,316,256 A 2/1982 Hendricks et al.  
D309,268 S 7/1990 Wada et al.

(Continued)

(\*\*) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/585,125**

U.S. Appl. No. 29/515,919 of Elliot G. Jacoby et al. filed Jan. 28,  
2015 (unpublished).

(22) Filed: **Nov. 21, 2016**

(Continued)

**Related U.S. Application Data**

(63) Continuation of application No. 29/552,774, filed on  
Jan. 26, 2016, now Pat. No. Des. 784,168, and a  
(Continued)

*Primary Examiner* — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Glen Farbanish; Philip  
Smith

(51) **LOC (11) Cl.** ..... **10-04**

(57) **CLAIM**

(52) **U.S. Cl.**

We claim the ornamental design for a temperature control  
device, as shown and described.

USPC ..... **D10/50**; D13/162

(58) **Field of Classification Search**

**DESCRIPTION**

USPC ..... D10/49, 50, 103; D13/162, 162.1, 177  
CPC . F23N 5/20; F23N 5/203; F23N 5/206; F23N  
5/18; F23N 5/184; F23N 5/187; F23N  
5/22; F23N 2025/12; F23N 2041/02;  
F24F 11/00; F24F 11/0012; F24F  
11/0009; F24F 11/001; F24F 2011/0057;  
F24F 2011/0073; F24F 2011/0091; F24F  
2011/0094; F24F 2011/0068; F24F  
2011/0012; F24F 2011/0015; F24F  
2011/0017; F21V 11/16; F21V 33/10;  
G05B 19/042; G05D 23/01; G05D 23/12;  
G05D 23/275; G05D 23/1902; G05D  
23/1904; G05D 23/27502; G05D

FIG. 1 is a perspective view of a temperature control device  
showing our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear view forms no part of the design and is omitted. The  
portions of the drawings appearing in broken lines are for  
environment only and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



**Related U.S. Application Data**

continuation of application No. 29/532,706, filed on Jul. 9, 2015, now Pat. No. Des. 750,981, and a continuation of application No. 29/481,501, filed on Feb. 6, 2014, now Pat. No. Des. 737,154.

(58) **Field of Classification Search**

CPC ..... H05K 5/00; H05K 5/03; H04M 2250/12; H04M 2250/22

See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

D310,340 S	9/1990	Wada et al.
D364,573 S	11/1995	Pearsall
D436,930 S	1/2001	Butler
D453,742 S	2/2002	Butler et al.
D573,956 S	7/2008	Hollner et al.
D649,123 S	11/2011	Jacoby et al.
8,115,745 B2	2/2012	Gray

8,627,224 B2	1/2014	Dahl	
D717,742 S	11/2014	Larkin et al.	
D737,154 S	8/2015	Jacoby et al.	
D750,981 S	3/2016	Jacoby et al.	
D775,975 S *	1/2017	Jacoby .....	D10/50
D775,976 S *	1/2017	Jacoby .....	D10/50
D780,699 S *	3/2017	Zhang .....	D13/162
D795,091 S *	8/2017	Kashimoto .....	D10/50
D795,712 S *	8/2017	Bergin .....	D10/50
2010/0229089 A1	9/2010	Narita	

OTHER PUBLICATIONS


U.S. Appl. No. 29/515,921 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,922 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).


U.S. Appl. No. 29/515,924 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

BTICINO Spa, Matix Brochure, May 2009, 16 pages.


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**