



US00D810590S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,590 S**
Jacoby et al. (45) **Date of Patent:** **** *Feb. 20, 2018**

(54) **TEMPERATURE CONTROL DEVICE**

23/27503; G05D 23/1919; G05D 23/19;
G05D 23/2723; G05D 23/00; G09F
13/22; G09F 9/53; G06F 1/1684; G06F
1/30; G06F 3/0362; G06F 3/038; H05B
33/0854; H05B 37/0218; H05K 5/0017;
H05K 5/0243;

(71) Applicant: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);
Jason C. Killo, Emmaus, PA (US);
Brad Michael Kreschollek, Bethlehem,
PA (US)

(Continued)

(56)

References Cited

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

U.S. PATENT DOCUMENTS

(*) Notice: This patent is subject to a terminal dis-
claimer.

4,316,256 A 2/1982 Hendricks et al.
D309,268 S 7/1990 Wada et al.

(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/585,125**

U.S. Appl. No. 29/515,919 of Elliot G. Jacoby et al. filed Jan. 28,
2015 (unpublished).

(22) Filed: **Nov. 21, 2016**

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 29/552,774, filed on
Jan. 26, 2016, now Pat. No. Des. 784,168, and a
(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Glen Farbanish; Philip
Smith

(51) **LOC (11) Cl.** **10-04**

(57)

CLAIM

(52) **U.S. Cl.**

We claim the ornamental design for a temperature control
device, as shown and described.

USPC **D10/50**; D13/162

(58) **Field of Classification Search**

DESCRIPTION

USPC D10/49, 50, 103; D13/162, 162.1, 177
CPC . F23N 5/20; F23N 5/203; F23N 5/206; F23N
5/18; F23N 5/184; F23N 5/187; F23N
5/22; F23N 2025/12; F23N 2041/02;
F24F 11/00; F24F 11/0012; F24F
11/0009; F24F 11/001; F24F 2011/0057;
F24F 2011/0073; F24F 2011/0091; F24F
2011/0094; F24F 2011/0068; F24F
2011/0012; F24F 2011/0015; F24F
2011/0017; F21V 11/16; F21V 33/10;
G05B 19/042; G05D 23/01; G05D 23/12;
G05D 23/275; G05D 23/1902; G05D
23/1904; G05D 23/27502; G05D

FIG. 1 is a perspective view of a temperature control device
showing our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.


FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The rear view forms no part of the design and is omitted. The
portions of the drawings appearing in broken lines are for
environment only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



Related U.S. Application Data

continuation of application No. 29/532,706, filed on Jul. 9, 2015, now Pat. No. Des. 750,981, and a continuation of application No. 29/481,501, filed on Feb. 6, 2014, now Pat. No. Des. 737,154.

(58) **Field of Classification Search**

CPC H05K 5/00; H05K 5/03; H04M 2250/12; H04M 2250/22

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D310,340 S	9/1990	Wada et al.
D364,573 S	11/1995	Pearsall
D436,930 S	1/2001	Butler
D453,742 S	2/2002	Butler et al.
D573,956 S	7/2008	Hollner et al.
D649,123 S	11/2011	Jacoby et al.
8,115,745 B2	2/2012	Gray

8,627,224 B2	1/2014	Dahl	
D717,742 S	11/2014	Larkin et al.	
D737,154 S	8/2015	Jacoby et al.	
D750,981 S	3/2016	Jacoby et al.	
D775,975 S *	1/2017	Jacoby	D10/50
D775,976 S *	1/2017	Jacoby	D10/50
D780,699 S *	3/2017	Zhang	D13/162
D795,091 S *	8/2017	Kashimoto	D10/50
D795,712 S *	8/2017	Bergin	D10/50
2010/0229089 A1	9/2010	Narita	

OTHER PUBLICATIONS

U.S. Appl. No. 29/515,921 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,922 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,924 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

BTICINO Spa, Matix Brochure, May 2009, 16 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6