



US00D810598S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,598 S**
Huang (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **INTERACTIVE TEST PROBE FOR BATTERY TESTER**

(71) Applicant: **Fluke Precision Measurement Ltd.**,
Norwich (GB)

(72) Inventor: **Wei Huang**, Shanghai (CN)

(73) Assignee: **Fluke Precision Measurement Ltd.**,
Norwich (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/583,370**

(22) Filed: **Nov. 4, 2016**

Related U.S. Application Data

(63) Continuation of application No. 29/554,225, filed on Feb. 9, 2016, now Pat. No. Des. 772,742, which is a continuation of application No. 29/497,388, filed on Jul. 23, 2014, now Pat. No. Des. 750,987.

(30) **Foreign Application Priority Data**

Jan. 24, 2014 (CN) 2014 3 0021279

(51) **LOC (11) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/80**

(58) **Field of Classification Search**

USPC D10/77, 80
CPC G01R 1/073; G01R 1/07307; G01R 1/07314; G01R 1/07321; G01R 1/07328; G01R 1/07335; G01R 1/07342; G01R 1/0735; G01R 1/07357; G01R 1/07364; G01R 1/07371; G01R 1/07378; G01R 1/07385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,136,234 A 8/1992 Shaw
D474,415 S 5/2003 Kirsch

9,030,220 B2 5/2015 Laurino et al.
D749,968 S * 2/2016 Huang D10/77
D750,987 S 3/2016 Huang
D772,741 S * 11/2016 Huang D10/77
2009/0267590 A1 10/2009 Atta et al.
(Continued)

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Seed IP Law Group LLP

(57) **CLAIM**

The ornamental design for an interactive test probe for a battery tester, as shown and described.

DESCRIPTION

FIG. 1 is a top front right perspective view of an interactive test probe for a battery tester showing my new design.

FIG. 2 is a top rear left perspective view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a bottom plan view thereof.

FIG. 5 is a front elevational view thereof.

FIG. 6 is a rear elevational view thereof.

FIG. 7 is a left side elevational view thereof.

FIG. 8 is a right side elevational view thereof.

FIG. 9 is a top front right perspective view of another embodiment of the interactive test probe for a battery tester shown in FIG. 1.

FIG. 10 is a top rear left perspective view thereof.

FIG. 11 is a top plan view thereof.

FIG. 12 is a bottom plan view thereof.

FIG. 13 is a front elevational view thereof.


FIG. 14 is a rear elevational view thereof.

FIG. 15 is a left side elevational view thereof; and,

FIG. 16 is a right side elevational view thereof.

The broken line showing of structural features is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0309853 A1 12/2011 Tan
2013/0320962 A1 12/2013 Rother et al.

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3




Fig. 4.




Fig. 5.




Fig. 6.



Fig. 7.





Fig. 8.






Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 16.