



US00D810668S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,668 S**
Cavro (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **TIRE TREAD**

(71) Applicants: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN,**
Clermont-Ferrand (FR); **Michelin
Recherche et Technique S.A.,**
Granges-Paccot (CH)

D426,855 S 6/2000 Niwa et al.
D429,194 S 8/2000 Heinen et al.
D432,057 S 10/2000 Himuro
D454,523 S 3/2002 Traulle
6,352,091 B1 3/2002 Hanya
D472,872 S 4/2003 O
D487,053 S 2/2004 Masuko
D491,516 S 6/2004 Miller et al.

(Continued)

(72) Inventor: **Marion Cavro**, Clermont-Ferrand (FR)

FOREIGN PATENT DOCUMENTS

(73) Assignees: **Compagnie Generale Des
Etablissements Michelin (FR);
Michelin Recherche Et Technique
S.A. (CH)**

EP 0609194 A1 8/1994
FR 06/5978 12/2006

(Continued)

(**) Term: **15 Years**

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Joseph J Kukella

(21) Appl. No.: **29/571,473**

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(22) Filed: **Jul. 19, 2016**

(57) **CLAIM**

(51) **LOC (11) Cl.** **12-15**

The ornamental design for a tire tread, as shown and described.

(52) **U.S. Cl.**

USPC **D12/563**

(58) **Field of Classification Search**

USPC D12/533–567

CPC . B60C 11/00; B60C 11/0302; B60C 11/0306;

B60C 11/0311; B60C 11/0313

See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of the tire tread of my design; FIG. 2 is a front elevation view of the tire tread of my design; FIG. 3 is a side elevation view of the tire tread of my design; FIG. 4 is a side elevation view of the tire tread of my design, taken from the opposite side of that shown in FIG. 3; and, FIG. 5 is an enlarged, partial view of the tire tread of FIG. 1, as indicated by the break lines.


In the drawings, the broken lines defining the sidewall and inner bead depict environmental subject matter that forms no part of the claimed design. The dash-dot-dot-dash line defines the peripheral boundary between the claimed tire tread and the unclaimed sidewall. The tread pattern repeats uniformly throughout the circumference of the tire.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,726,407 A 2/1988 Hayakawa et al.
D351,368 S * 10/1994 Graas D12/567
D355,876 S 2/1995 Diensthuber et al.
D360,861 S 8/1995 Graas et al.
D361,966 S 9/1995 Graas et al.
D370,880 S 6/1996 Graas
D379,449 S 5/1997 Graas et al.
D390,512 S 2/1998 Eromaki

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D504,387 S 4/2005 Welbes et al.
D505,111 S 5/2005 Allison et al.
D512,682 S * 12/2005 Krenz D12/564
D516,998 S 3/2006 Wang et al.
D531,955 S 11/2006 Fontaine et al.
D544,827 S 6/2007 Lee
D550,148 S 9/2007 Fontaine et al.
D555,581 S 11/2007 Salvan
D579,861 S 11/2008 Haas et al.
D579,863 S 11/2008 Harvey et al.
D591,220 S 4/2009 Minagawa
D595,218 S 6/2009 Rodicq et al.
D595,639 S 7/2009 de Briey-Terlinden et al.
D601,946 S 10/2009 Fontaine et al.
D606,927 S 12/2009 Kang
D607,810 S 1/2010 Oizumi et al.
D610,963 S 3/2010 Ochi
D612,324 S 3/2010 Harvey et al.
D615,479 S 5/2010 Lee
D626,911 S 11/2010 Takashima
D634,700 S 3/2011 Ebel et al.

D640,184 S 6/2011 de Briey-Terlinden
D651,163 S 12/2011 Shimizu et al.
D668,205 S 10/2012 Ebel et al.
D683,301 S 5/2013 Kang
D684,523 S * 6/2013 Scheuren D12/564
D684,922 S * 6/2013 Scheuren D12/564
D705,718 S 5/2014 Hirama et al.
D710,292 S * 8/2014 Le D12/564
D718,224 S 11/2014 Guichon et al.
D720,684 S * 1/2015 Mathonet D12/564
D722,290 S 2/2015 Jamot et al.
D724,008 S * 3/2015 Mathonet D12/564
D724,522 S 3/2015 D'Abrigeon et al.
D733,641 S * 7/2015 Mathonet D12/565
D754,588 S 4/2016 Hye et al.
D758,286 S 6/2016 Hye et al.
D778,230 S * 2/2017 Haanketo D12/564
2008/0149237 A1 6/2008 Cambron et al.

FOREIGN PATENT DOCUMENTS

FR 06/5980 12/2006
FR 07/5041 11/2007

* cited by examiner





FIG. 1

FIG. 2






FIG. 3




FIG. 4




FIG. 5