

US00D810674S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,674 S**
Itoi (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **TIRE SIDEWALL**
(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

D669,845 S * 10/2012 Iwabuchi D12/605
D670,644 S * 11/2012 Miyazak D12/605
D674,745 S * 1/2013 Miyazaki D12/605
D757,644 S * 5/2016 Wieland D12/605
D768,565 S * 10/2016 Yasunaga D12/605

(Continued)

(72) Inventor: **Dyta Itoi,** Tokyo (JP)
(73) Assignee: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

FOREIGN PATENT DOCUMENTS

JP 1072008 S 5/2000
JP 1072009 S 5/2000
KR 30-0684033 S 3/2013

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/598,008**

Office Action of Japanese Patent Application No. 2016-020492,
dated Jan. 17, 2017.

(22) Filed: **Mar. 22, 2017**

(30) **Foreign Application Priority Data**

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

Sep. 23, 2016 (JP) 2016-020492

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and
described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D475,345 S * 6/2003 Endo D12/605
D479,190 S * 9/2003 Maxwell D12/605
D481,988 S * 11/2003 Wachendorf D12/500
D575,222 S * 8/2008 Fujita D12/605
D577,330 S * 9/2008 Miyasaka D12/605
D592,591 S * 5/2009 Kuwano D12/605
D593,486 S * 6/2009 Yonetsu D12/605
D596,116 S * 7/2009 Fujita D12/605
D611,894 S * 3/2010 Scheifele D12/605
D627,714 S * 11/2010 Miyazaki D12/605
D627,716 S * 11/2010 Harvey D12/605
D639,727 S * 6/2011 Tokizaki D12/605
D640,188 S * 6/2011 Strader D12/605
D648,268 S * 11/2011 Shondel D12/605

FIG. 1 is a perspective view of a tire sidewall showing my
new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a fragmentary enlarged view showing the details of
the sidewall defined by cross-section by lines 6-6 and 6-6 in
FIG. 2; and,
FIG. 7 is a section view taken along line 7-7 between 7-7 in
FIG. 6.
The broken lines are used to show portions of the tire that are
not being claimed, and thus form no part of the claimed
design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D770,373 S * 11/2016 Krier D12/605
D771,558 S * 11/2016 Krier D12/605
D772,155 S * 11/2016 Krier D12/605
D772,798 S * 11/2016 Krier D12/605

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

