



US00D810787S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,787 S**
Cinotti et al. (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **IMPELLER**

(71) Applicant: **Weir Minerals Australia Ltd.**,
Artarmon NSW (AU)

(72) Inventors: **Nestor Cinotti**, Elanora Heights (AU);
David Hamilton, Forestville (AU)

(73) Assignee: **Weir Minerals Australia Ltd.** (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/593,635**

(22) Filed: **Feb. 10, 2017**

(30) **Foreign Application Priority Data**

Aug. 12, 2016 (AU) 201614369

(51) **LOC (11) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**

USPC D15/7-9, 28; D23/231, 232, 225, 379,
D23/411; 417/60, 235, 355, 358, 363,
417/359, 410.1, 415, 416, 405, 900;
415/140-147, 115, 104, 199.1, 206,
415/121.1; 416/180, 183, 228, 185,
416/223 B, DIG. 2; 60/408, 412

CPC F02M 37/04; F02M 37/14; B21K 25/00;
B23P 15/04; A47L 15/4225; A47L 27/00;
A47L 7/04; A47L 7/045; F04D 29/2294;
F04D 29/242; F04D 29/24; F04D
29/2216; F04D 29/28; F04D 29/38; F04D
29/18; F04D 29/22; F04D 29/2288; F04D
29/2244; F04D 29/30; F04D 29/225;
Y10S 416/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,864,834 A * 6/1932 Klosson F04D 29/225
415/203

4,208,169 A 6/1980 Becker et al.

4,904,159 A 2/1990 Wickoren
5,692,880 A * 12/1997 Zelder F04D 29/225
416/175
6,074,167 A * 6/2000 Olifirov F01D 17/143
415/131
D443,281 S * 6/2001 Sodergard D15/7
6,638,020 B1 * 10/2003 Tsui F04D 29/2222
416/185
7,114,925 B2 * 10/2006 Shaw F04D 29/2288
415/121.1
D586,826 S * 2/2009 Cantrill D15/7
8,025,479 B2 9/2011 Schlott
8,113,802 B2 * 2/2012 Liang F04D 29/2233
29/888.024
8,221,070 B2 * 7/2012 Baryshnikov F04D 29/2266
415/104
8,371,831 B2 * 2/2013 Marioni A47L 15/4225
417/423.1

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2013202462 B2 5/2013

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Morriss O'Bryant
Compagni

(57)


CLAIM

The ornamental design for an impeller, as shown and
described herein.

DESCRIPTION

FIG. 1 is a front perspective view of the impeller showing
our new design;
FIG. 2 is a side elevation view thereof, with the front of the
impeller facing to the left of the page;
FIG. 3 is a front view thereof;
FIG. 4 is a back perspective view thereof; and,
FIG. 5. is a back view thereof.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

8,439,642	B2	5/2013	Scott et al.	
D694,266	S *	11/2013	Haddad	D15/7
9,091,277	B1 *	7/2015	Young	F04D 29/2222
9,556,739	B2 *	1/2017	Springer	F04D 29/2294
2009/0092478	A1	4/2009	Eslinger	
2010/0284812	A1	11/2010	Zahdeh	
2016/0040682	A1	2/2016	Walker	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5