



US00D810823S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,823 S**
Kermoal et al. (45) **Date of Patent:** **** Feb. 20, 2018**

- (54) **WRITING INSTRUMENT**
- (71) Applicant: **Scribe Technical Consulting LLC**,
Oak Ridge, NC (US)
- (72) Inventors: **Phillipe Kermoal**, Rome (IT);
Leighton Davies-Smith, Oak Ridge,
NC (US)
- (73) Assignee: **Scribe Technical Consulting LLC**,
Oak Ridge, NC (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/555,461**
- (22) Filed: **Feb. 22, 2016**
- (51) **LOC (11) Cl.** **19-06**
- (52) **U.S. Cl.**
USPC **D19/184; D19/928**
- (58) **Field of Classification Search**
USPC D14/411; D19/115-204; D28/7, 76, 88
CPC ... B43K 5/00; B43K 7/00; B43K 7/12; B43K
8/04; B43K 8/06; B43K 19/00; B43K
19/02; B43K 19/14; B43K 24/08; B43K
24/084
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 1,757,884 A * 5/1930 Tuggle B43K 21/00
401/83
- D119,263 S * 3/1940 Harris D19/163
- D126,555 S * 4/1941 Gurtov D19/925
- 2,338,068 A * 12/1943 Harris B43K 21/08
24/11 C
- D268,501 S * 4/1983 Kruckel D19/165
- D313,042 S * 12/1990 Lecce D19/173
- D342,088 S * 12/1993 Sonntag 401/82
- D344,760 S * 3/1994 Monzyk D19/185

- 5,449,242 A * 9/1995 Salamone B43K 23/001
24/10 R
 - 5,522,146 A * 6/1996 Warburton G01C 9/28
33/347
 - D389,519 S * 1/1998 Duford D19/177
 - D422,309 S * 4/2000 Bond D10/71
 - 6,276,854 B1 * 8/2001 Mullins B43K 23/016
401/131
 - D501,877 S * 2/2005 Granick D19/186
 - 6,948,251 B2 * 9/2005 Jebe B43L 23/00
30/452
 - D524,372 S * 7/2006 Granick D19/204
 - D524,863 S * 7/2006 Granick D19/204
 - D579,045 S * 10/2008 Allemand D19/170
 - D579,046 S * 10/2008 Allemand D19/170
- (Continued)


Primary Examiner — Elizabeth Albert
(74) *Attorney, Agent, or Firm* — Lempia Summerfield
Katz LLC

(57) **CLAIM**
The ornamental design for a “writing instrument”, as shown
and described.

DESCRIPTION

FIG. 1 is a front, bottom, and right side perspective view of
our new design for a writing instrument with a writing tip
exposed for use.
FIG. 2 is a front view of the writing instrument of FIG. 1.
FIG. 3 is a rear view of the writing instrument of FIG. 1.
FIG. 4 is a right side view of the writing instrument of FIG.
1, the left side view being identical thereto.
FIG. 5 is a top view of the writing instrument of FIG. 1.
FIG. 6 is a bottom view of the writing instrument of FIG. 1;
and,
FIG. 7 is a front view of the writing instrument of FIG. 1
with the writing tip covered.
The broken lines in FIGS. 1-4 and 6-7 are included to show
portions of the writing instrument that form no part of the
claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D601,625 S * 10/2009 Yeh D10/119.3
7,645,083 B2 * 1/2010 Burry B43K 21/006
401/55
D698,863 S * 2/2014 Ryan D19/123
D713,459 S * 9/2014 Zeitler D19/117
8,864,397 B2 * 10/2014 Ryan B43K 19/02
401/195

* cited by examiner




FIG. 1




FIG. 5




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 7