



US00D810853S

(12) **United States Design Patent**  
**Bertschy**

(10) **Patent No.:** **US D810,853 S**  
(45) **Date of Patent:** **\*\* Feb. 20, 2018**

- (54) **SWING ASSEMBLY**
- (71) Applicant: **FLYBAR, INC.**, Ellenville, NY (US)
- (72) Inventor: **Robert R. Bertschy**, Johns Island, SC (US)
- (73) Assignee: **FLYBAR, INC.**, Ellenville, NY (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/588,493**
- (22) Filed: **Dec. 21, 2016**

**Related U.S. Application Data**

- (62) Division of application No. 29/521,319, filed on Mar. 23, 2015, now Pat. No. Des. 778,381.
- (51) **LOC (11) Cl.** ..... **21-03**
- (52) **U.S. Cl.**  
USPC ..... **D21/823**
- (58) **Field of Classification Search**  
USPC ..... D21/811, 814, 822-825  
CPC ..... A63G 9/00-9/22  
See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

- 1,914,555 A \* 6/1933 Connelly ..... A63G 9/00  
403/233
- 1,924,683 A \* 8/1933 Fletcher ..... A47D 13/105  
472/122
- 3,298,738 A \* 1/1967 Shalhoob ..... A63G 9/00  
297/273
- D253,362 S \* 11/1979 Dieter ..... D21/822
- 4,289,310 A \* 9/1981 Weakly ..... A63G 9/12  
472/118
- D274,450 S \* 6/1984 Gordon ..... D21/822
- 4,524,966 A \* 6/1985 Shannon ..... A47D 13/105  
297/273
- D281,447 S \* 11/1985 Gordon ..... D21/822

- 4,575,073 A \* 3/1986 Thacker ..... A63G 9/00  
297/273
- 5,067,706 A \* 11/1991 Tsai ..... A63G 9/00  
472/118
- D340,275 S \* 10/1993 Haun ..... D21/823
- D343,671 S \* 1/1994 Smith ..... D21/823
- D355,013 S \* 1/1995 Schechner ..... D21/823
- D520,591 S \* 5/2006 Popp ..... D21/823
- 8,672,770 B2 \* 3/2014 Matt ..... A63G 9/14  
472/118
- D728,721 S \* 5/2015 Diego ..... D21/823
- D778,381 S \* 2/2017 Bertschy ..... D21/823

\* cited by examiner

*Primary Examiner* — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Barnes & Thomburg LLP


(57) **CLAIM**

The ornamental design for a swing assembly, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a swing assembly according to the present design;  
 FIG. 2 is a top view of the swing assembly of FIG. 1;  
 FIG. 3 is a bottom view of the swing assembly of FIG. 1;  
 FIG. 4 is a front view of the swing assembly of FIG. 1;  
 FIG. 5 is a back view of the swing assembly of FIG. 1;  
 FIG. 6 is a left side view of the swing assembly of FIG. 1;  
 FIG. 7 is a right side view of the swing assembly of FIG. 1;  
 and,  
 FIG. 8 is a front perspective view of the swing assembly of FIG. 1 as in use.  
 The claimed design comprises the elements shown in solid lines. The elements shown in dotted lines form no part of claimed invention.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8