



US00D810963S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,963 S**
Karantinidis (45) **Date of Patent:** **** Feb. 20, 2018**

(54) **FRAMING STUD**

(71) Applicant: **Michael Karantinidis**, Astoria, NY
(US)

(72) Inventor: **Michael Karantinidis**, Astoria, NY
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/556,180**

(22) Filed: **Feb. 29, 2016**

(51) **LOC (11) Cl.** **25-02**

(52) **U.S. Cl.**
USPC **D25/123**

(58) **Field of Classification Search**

USPC D25/38.1, 38.8, 47.1, 48.1–48.4, 55, 56,
D25/58, 59, 61, 119–132, 138, 139, 142,
D25/143, 152, 153, 159, 164; 52/204.1,
52/204.5, 208, 209, 204.53, 211, 212,
52/213, 217, 254, 255, 287.1, 293.3,
52/302.6, 443, 444, 716.1, 716.2, 716.6,
52/716.7, 716.8, 717.01, 717.03;
D26/118, 138, 142; D6/325, 572;
D8/377, 381; D23/267, 386
CPC . A47B 96/068; A47B 96/07; E04B 2001/405;
E04C 2003/0413; E04C 2003/0465; E04C
2003/043; E04C 3/00; E04C 3/04; E04C
3/005; E04C 3/02; E04C 3/0473; E04C
3/07; E04C 3/30; E04C 3/32; E04H
2004/146; E04H 2004/147; E04H 4/12;
E04H 4/0075; E04H 4/1227; E04H 4/14;
E04H 4/141; E04H 4/142; F16B 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,016,700 A * 4/1977 Blomstedt E04B 2/7412
52/846
4,709,519 A * 12/1987 Liefer E04F 15/02405
52/480

4,793,113 A * 12/1988 Bodnar E04B 2/58
D25/119
4,964,256 A * 10/1990 McCracken E04C 3/32
52/846
5,157,883 A * 10/1992 Meyer E04C 3/32
52/846

(Continued)

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP



(57) **CLAIM**

The ornamental design for a framing stud, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a framing stud, showing my new design.
FIG. 2 is a bottom perspective view thereof.
FIG. 3 is a top plan view thereof.
FIG. 4 is a bottom plan view thereof.
FIG. 5 is a left side elevation view thereof.
FIG. 6 is a right side elevation view thereof.
FIG. 7 is a front elevation view thereof.
FIG. 8 is a rear elevation view thereof.
FIG. 9 is a top perspective view of a second embodiment of a framing stud, showing my new design.
FIG. 10 is a bottom perspective view thereof.
FIG. 11 is a top plan view thereof.
FIG. 12 is a bottom plan view thereof.
FIG. 13 is a left side elevation view thereof.
FIG. 14 is a right side elevation view thereof.
FIG. 15 is a front elevation view thereof; and,
FIG. 16 is a rear elevation view thereof.
The dash-dot-dash broken lines in the drawings illustrate portions of the framing stud that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,315,804	A *	5/1994	Attalla	E04C 3/06 52/481.1
5,687,538	A *	11/1997	Frobosilo	E04C 3/07 52/846
8,499,512	B2 *	8/2013	Pilz	E04C 3/07 52/235
9,010,070	B2 *	4/2015	Darr, III	E04B 2/7457 52/481.1
D751,222	S *	3/2016	Darr, III	D25/125
D751,733	S *	3/2016	Darr, III	D25/123
D766,465	S *	9/2016	Honda	D25/119
2007/0175149	A1 *	8/2007	Bodnar	E04C 3/09 52/481.1
2008/0110126	A1 *	5/2008	Howchin	E04C 3/32 52/717.06
2008/0250738	A1 *	10/2008	Howchin	E04C 3/07 52/235
2009/0013633	A1 *	1/2009	Aubuchon	E04C 3/07 52/634
2009/0249743	A1 *	10/2009	Bodnar	E04C 3/09 52/846

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16