



US00D810999S

(12) **United States Design Patent** (10) **Patent No.:** **US D810,999 S**  
**Tweel et al.** (45) **Date of Patent:** **\*\* \*Feb. 20, 2018**

(54) **LIGHT FIXTURE**

- (71) Applicant: **ABL IP Holding LLC**, Decatur, GA (US)
- (72) Inventors: **Patrick M. Tweel**, Atlanta, GA (US); **Aaron Feldman**, Atlanta, GA (US); **Matthew Scott Hoch**, McDonough, GA (US); **John T. Hickok**, Social Circle, GA (US)
- (73) Assignee: **ABL IP Holding LLC**, Atlanta, GA (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/567,476**

(22) Filed: **Jun. 9, 2016**

(51) **LOC (11) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/120**

(58) **Field of Classification Search**  
USPC ..... D7/416; D10/111–113, 115, 113.1; D11/144; D13/134, 158–178; D14/473, D14/230; D22/118; D25/126–135; D26/20, 27, 30, 31, 32, 25, 35, 36, 42, D26/46, 55, 69, 70, 71, 72, 74–77, 85, D26/113, 78, 80, 101, 110, 109, 118–120,  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D130,570 S 12/1941 Borkland
- D397,819 S \* 9/1998 Thorton, Jr. .... D26/77  
(Continued)

OTHER PUBLICATIONS

“2x2 2x4 LED Troffer” Nov. 29, 2015, led-wall-pack.com, site visited Jun. 20, 2017 <<http://www.led-wall-pack.com/indoor-led-lighting/led-volumetric-troffer-light/2017-newest-etl-dlc-v4-0-remium-led-ceiling.html>>.\*

(Continued)

*Primary Examiner* — Kevin K Rudzinski  
*Assistant Examiner* — Paul D Bohannon  
(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton, LLP


(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of one embodiment of the light fixture.  
FIG. 2 is a top perspective view of the light fixture of FIG. 1.  
FIG. 3 is a right side elevation view of the light fixture of FIG. 1, it being understood that the left side elevation view is identical to the right side elevation view.  
FIG. 4 is a front elevation view of the light fixture of FIG. 1, it being understood that the rear elevation view is identical to the front elevation view.  
FIG. 5 is a top plan view of the light fixture of FIG. 1; and, FIG. 6 is a bottom plan view of the light fixture of FIG. 1. Portions or features of the light fixture not shown in the drawings form no part of the claimed design. The evenly dotted broken lines in the drawings illustrate portions of the light fixture that form no part of the claimed design. The dash-dot-dot-dash broken lines in the drawings represent boundary lines that form no part of the claimed design. The dash-dot-dash-dot broken lines in the drawings represent symbolic breaks along the fixture length. The appearance of any portion of the light fixture between these breaks forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(58) **Field of Classification Search**

USPC ..... D26/122, 123, 124, 127, 133, 134, 139;  
D99/99  
CPC . A47F 3/001; A61L 9/20; A61B 90/30; B60Q  
1/2696; B60Q 1/2615; F21S 8/032; F21S  
8/033; F21S 8/00; F21S 8/086; F21S  
8/043; F21S 8/046; F21S 8/04; F21S  
8/02; F21S 8/026; F21S 48/215; F21S  
2/005; F21S 2/00; F21S 4/00; F21K 9/00;  
F21K 9/135; F21K 9/27; F21K 9/64;  
F21V 17/10; F21V 29/74; F21V 29/83;  
F21V 29/76; F21V 29/505; F21V 7/005;  
F21V 15/01; F21V 23/026; F21V 23/003;  
F21V 7/09; F21V 5/01; F21V 5/04; F21V  
21/005; F21V 3/0445; G02B 6/0083;  
G02B 5/0257; G02B 1/046; G09F 13/14;  
H05B 33/0845; H05B 33/0842

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,988,829 A \* 11/1999 Holder ..... F21S 8/02  
362/147  
D496,121 S \* 9/2004 Santoro ..... D26/74  
D561,383 S \* 2/2008 Hukle ..... D26/120  
D595,894 S \* 7/2009 Verfuerrth ..... D26/122  
D604,000 S \* 11/2009 Fowler, Jr. .... D26/76  
D673,324 S \* 12/2012 Mayfield, III ..... D26/120  
D678,597 S \* 3/2013 Lehman ..... D26/120  
8,506,121 B2 8/2013 Van Laanen et al.  
D696,449 S \* 12/2013 Boyer ..... D26/74  
D701,341 S 3/2014 Mayfield, III et al.  
D703,858 S 4/2014 Miller  
D729,435 S 5/2015 Arndt et al.  
D739,593 S \* 9/2015 Mayfield, III ..... D26/118  
D739,977 S \* 9/2015 Boyer ..... D26/74  
D762,909 S \* 8/2016 Shi ..... D26/76  
9,416,954 B2 8/2016 Miller  
D767,193 S \* 9/2016 Jung ..... D26/74  
D784,594 S \* 4/2017 Stolte ..... D26/76  
D786,471 S 5/2017 Snell et al.  
2012/0212956 A1 \* 8/2012 Chen ..... F21V 7/005  
362/235  
2013/0063948 A1 \* 3/2013 Ishii ..... F21S 8/026  
362/294  
2013/0294072 A1 11/2013 Miller  
2014/0313719 A1 10/2014 Wang et al.  
2015/0016108 A1 \* 1/2015 Howe ..... F21V 29/505  
362/235  
2015/0159839 A1 \* 6/2015 Howe ..... F21V 3/0445  
362/311.01

OTHER PUBLICATIONS

“Get more from the top: Experience unmatched energy savings in high and low bay environments with Albeo™ LED Luminaires,” Current powered by GE, 2016, 8 pages.  
“Albeo™ LED Luminaire Heavy Industrial High Bay & Low Bay Lighting (ABRI—Series) Brochure,” GE Lighting, Retrieved from the internet: [www.gelighting.com](http://www.gelighting.com), 2016, 6 pages.  
“Albeo™ LED Luminaire Heavy Industrial High Bay & Low Bay Lighting (ABRI—Series),” GE Lighting, Retrieved from the internet: [www.gelighting.com](http://www.gelighting.com), 2016, 2 pages.  
“Albeo™ LED Luminaire Heavy Industrial High Bay Lighting (ABRI—Series),” GE Lighting, Installation Guide, 2014, 4 pages.  
“Announcing the Albeo™ ABR1 Heavy Industrial High Bay from GE.,” GE Lighting, Nov. 20, 2015, 2 pages.  
“Big Ass Light High Bay LED,” Retrieved from the internet: [bigasslight.com.au](http://bigasslight.com.au), Jul. 6, 2015, 3 pages.  
“Enjoy flexibility and savings along with quality illumination; An economical LED high bay,” Philips Lighting, 2015, 8 pages.  
“Metalux Industrial LED Luminaires,” Eaton Powering Business Worldwide, Retrieved from the Internet: <http://www.cooperindustries.com/content/dam/public/lighting/products/documents/metalux/brochures/BR507005EN-Mx-IndLED-bro.pdf>, 51 pages.  
“Made to Order: Imagine lighting as versatile as the industries it serves.,” Industrial Solutions, Believed to be available at least as early as Feb. 1, 2015, 15 pages.  
“The Big Ass Inverted 20K LED,” Retrieved from the internet: [bigasslight.com](http://bigasslight.com), Jun. 24, 2015, 2 pages.  
“Low Profile Channel LED Fixture or Retrofit,” Industrial Lighting Products (13 pages).  
“Albeo™ LED Luminaire High Bay Lighting (ABV—Series),” GE Lighting, Feb. 16, 2016 (6 pages).  
Albeo™ LED Luminaire Modular High & Low Bay Lighting (ABHX—Series), GE Lighting Solutions, May 1, 2013 (8 pages).  
“HBLed High Bay LED Luminaire,” Metalux, Eaton Powering Business Worldwide, 2015 (4 pages).  
“Lusio® Essential Aisle Lighter Performance Line,” Flex, [www.flextronics.com/lighting](http://www.flextronics.com/lighting), 2015 (2 pages).  
“Lusio® Essential Series Aisle Lighter,” Flextronics X, [www.flextronics.com/lighting](http://www.flextronics.com/lighting), 2014 (2 pages).  
“Award Winning of High Efficacy LED Fixtures for High and Medium Bay Applications,” Flextronics X, Product Guide, Lusio® Essentials Series v 2.1, 2014 (60 pages).  
“LED Features and Specification,” Orion ISON™ High Bay, [orionlighting.com](http://orionlighting.com), 2015 (2 pages).  
Notice of Allowance for U.S. Appl. No. 29/565,090, dated Jun. 9, 2017, 10 pages.  
Non-Final Office Action for U.S. Appl. No. 29/567,207, dated Jul. 3, 2017, 14 pages.  
Restriction Requirement for U.S. Appl. No. 29/561,794, dated Aug. 1, 2017, (13 pages).  
Restriction Requirement for U.S. Appl. No. 29/561,838, dated Aug. 1, 2017, (13 pages).

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6