



US00D811097S

(12) **United States Design Patent**  
**Supple**

(10) **Patent No.:** **US D811,097 S**

(45) **Date of Patent:** **\*\* Feb. 27, 2018**

(54) **BRUSH**

(71) Applicant: **Nicholas Supple**, Dover, NH (US)

(72) Inventor: **Nicholas Supple**, Dover, NH (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/584,899**

(22) Filed: **Nov. 18, 2016**

(51) **LOC (11) Cl.** ..... **04-02**

(52) **U.S. Cl.**

USPC ..... **D4/138**

(58) **Field of Classification Search**

USPC ..... D4/100, 118, 121, 122, 129, 130, 199,  
D4/102, 119, 120, 134, 105, 106, 109,  
D4/110, 128, 132, 133, 135; D24/214;  
D28/44, 49, 53, 56, 58, 59, 63, 57;  
D32/35, 40, 42

CPC ... A46B 15/00; A46B 2200/1013; A46B 3/20;  
A46B 5/02; A46B 9/00; A46B 9/02;  
A45D 29/05; A45D 29/06; A45D 29/11;  
A45D 29/14; A45D 29/045

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D295,911 S *	5/1988	Zogg .....	D32/40
D405,572 S *	2/1999	Bouchez .....	D32/40
D421,185 S *	2/2000	Remme .....	D24/194
D538,473 S *	3/2007	Rhoades .....	D28/7
D616,103 S *	5/2010	Ford-Robertson .....	D24/200
D640,873 S *	7/2011	Seehoff .....	D4/120
D644,030 S *	8/2011	Gates .....	D4/137
8,201,565 B2 *	6/2012	Fernandez .....	A45D 29/05 132/73.6
D698,455 S *	1/2014	Sedic .....	A61H 23/004 D24/215
D716,961 S *	11/2014	Sedic .....	A61H 23/004 D24/215

D764,172 S *	8/2016	Pan .....	D4/100
D767,226 S *	9/2016	Albers .....	D28/63
D773,064 S *	11/2016	Sedic .....	D24/214
D777,448 S *	1/2017	Saputo .....	D4/119
D787,074 S *	5/2017	Fang .....	D24/186
D795,594 S *	8/2017	Thornton .....	D4/127
D796,212 S *	9/2017	Thornton .....	D4/127
D804,189 S *	12/2017	von Berg .....	D4/100
2003/0002913 A1 *	1/2003	Amit .....	A46B 11/0013 401/286
2014/0194900 A1 *	7/2014	Sedic .....	A47K 7/043 606/131

**FOREIGN PATENT DOCUMENTS**

CN	303193705	*	5/2015	
WO	WO-2017087736	*	5/2017	..... A46B 9/02

\* cited by examiner

*Primary Examiner* — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — Jeffrey Joyce

(57) **CLAIM**

The ornamental design for a brush, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of the brush according to the invention.

FIG. 2 is a front perspective view of the brush.

FIG. 3 is a rear elevation view of the brush.

FIG. 4 is a left-side elevation view of the brush, the right side elevation view being a mirror image thereof.



FIG. 5 is a front elevation view of the brush.

FIG. 6 is a top plan view of the brush; and,

FIG. 7 is a bottom plan view of the brush.

The broken lines are for the purpose of illustrating the environment of the article only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7