



US00D811298S

(12) **United States Design Patent** (10) **Patent No.:** **US D811,298 S**  
**Miura et al.** (45) **Date of Patent:** **\*\* Feb. 27, 2018**

(54) **OPERATION GRIP FOR WORKING MACHINE**

(71) Applicant: **Kubota Corporation**, Osaka-shi (JP)

(72) Inventors: **Keisuke Miura**, Sakai (JP); **Hiroaki Nakagawa**, Sakai (JP); **Masahiro Kuroda**, Sakai (JP); **Ikuhiro Uotani**, Sakai (JP); **Satoshi Tajima**, Sakai (JP); **Hayato Kawano**, Sakai (JP); **Hiroyuki Anami**, Sakai (JP)

(73) Assignee: **Kubota Corporation**, Osaka (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/547,066**

(22) Filed: **Dec. 1, 2015**

(30) **Foreign Application Priority Data**

Jul. 31, 2015 (JP) ..... 2015-017105

(51) **LOC (11) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/179**; D15/28

(58) **Field of Classification Search**  
USPC ..... D8/107, 300, 302, 303, 307; D14/412, D14/415, 416; D15/10, 28; D12/179  
CPC .... H01H 13/14; H01H 25/041; H01H 25/008; H01H 2221/012; H01H 2025/043; H01H 13/705; H01H 2025/046; H01H 2239/006; H01H 2215/006; H01H 2003/0293; H01H 3/12; H01H 13/84; H01H 2205/002; H01H 9/0214; H01H 9/0235; B62D 1/12; B62D 11/183; B62D 1/046; B62D 11/006; Y10T 74/20201; Y10T 74/20012; Y10T 74/20396; Y10T 74/20256; Y10T 74/20612; Y10T 74/20073; Y10T 137/87072; Y10T 74/20207; Y10T 74/2014; Y10T 74/2042; G05G 9/047; G05G 2009/04774

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,625 S *	10/1994	Carter	.....	D14/416
D362,872 S *	10/1995	Chan	.....	D14/412
5,566,586 A *	10/1996	Lauer	.....	E02F 9/2004
				180/333
D412,824 S *	8/1999	Hoefle	.....	D12/179
6,128,002 A *	10/2000	Leiper	.....	G06F 19/3406
				345/156

(Continued)

*Primary Examiner* — Derrick Holland

*Assistant Examiner* — Lauren Calve

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**


The ornamental design for an operation grip for working machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an operation grip for working machine showing our new design;  
 FIG. 2 is a rear view thereof;  
 FIG. 3 is a left side view thereof;  
 FIG. 4 is a right side view thereof;  
 FIG. 5 is a top view thereof;  
 FIG. 6 is a bottom view thereof;  
 FIG. 7 is a perspective view thereof;  
 FIG. 8 is another perspective view thereof; and,  
 FIG. 9 is a partial enlarged view thereof according to the broken square "9" shown in FIG. 8.

The broken lines shown represent unclaimed subject matter and form no part of the claimed design.  
 The dash-dot-dash lines that abut a claimed surface represent an unclaimed boundary between claimed and unclaimed surfaces. None of the broken lines form any part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

6,152,676 A \* 11/2000 Evert ..... B66F 9/20  
 180/333  
 D441,330 S \* 5/2001 Okazawa ..... D12/179  
 D449,614 S \* 10/2001 Osborn ..... D14/412  
 D454,569 S 3/2002 Osborn et al.  
 D463,457 S \* 9/2002 Nagatsuka ..... D15/28  
 D559,749 S \* 1/2008 Barbieri ..... D12/179  
 D584,312 S \* 1/2009 Bishop ..... D14/412  
 7,497,298 B2 \* 3/2009 Shearer ..... E02F 3/7663  
 180/333  
 D633,111 S \* 2/2011 Muraoka ..... D15/28  
 8,151,928 B2 \* 4/2012 States ..... G01D 5/145  
 180/315  
 2002/0184735 A1 \* 12/2002 Gillman ..... G05G 1/10  
 16/110.1  
 2003/0037985 A1 \* 2/2003 Jeppe ..... G05G 1/58  
 180/333  
 2006/0137931 A1 \* 6/2006 Berg ..... B62D 1/12  
 180/333  
 2007/0283526 A1 \* 12/2007 Stoffers ..... E02F 9/2004  
 16/110.1  
 2009/0178503 A1 \* 7/2009 Hanlon ..... G05G 5/03  
 74/471 XY  
 2011/0088961 A1 \* 4/2011 Case ..... B62D 1/12  
 180/333  
 2013/0306395 A1 \* 11/2013 Frazier ..... E02F 9/2004  
 180/333

\* cited by examiner







FIG. 1



**FIG. 2**




**FIG. 3**



**FIG. 4**




**FIG. 5**



**FIG. 6**





**FIG. 7**





FIG. 8



**FIG. 9**