



US00D811388S

(12) **United States Design Patent**
Rochat

(10) **Patent No.:** **US D811,388 S**
(45) **Date of Patent:** **** Feb. 27, 2018**

- (54) **WEARABLE ELECTRONIC DEVICE**
- (71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)
- (72) Inventor: **Alex Rochat**, Seoul (KR)
- (73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**,
Suwon-si (KR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/541,387**
- (22) Filed: **Oct. 2, 2015**
- (30) **Foreign Application Priority Data**

Apr. 8, 2015 (KR) 30-2015-0017849

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/344**

(58) **Field of Classification Search**

USPC ... D14/344, 138 R, 144, 341, 358, 205, 223,
D14/249; D10/30-39, 70, 98; D11/3,
D11/93-94; D24/167, 169, 186-187,
D24/106, 173, 174, 175; 361/679.03;
379/433.1

CPC .. A41D 1/002; G06F 1/04; G06F 1/08; G06F
1/10; G06F 1/14; G06F 1/1626; G06F
1/1628; G06F 1/163; G06F 1/1635; G06F
1/3203; G06Q 20/10; G06Q 20/12; G06Q
20/108; G06Q 20/145; H04B 1/3833;
H04B 1/385; H04B 1/3888; H04M 1/02;
H04M 1/03; H04M 1/04; H04M 1/05;
H04M 1/667; H04M 1/6058; Y02B
60/1217

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,204,534 A * 5/1980 Leary A61F 5/3761
128/878
- 4,685,599 A * 8/1987 Israel A44C 5/00
224/164

- 4,991,234 A * 2/1991 Greenberg A41D 20/00
2/16
- 5,170,503 A * 12/1992 Hightower, Jr. A41D 17/02
2/22
- D347,116 S * 5/1994 Guzman 224/170
- D369,893 S * 5/1996 Thrussell D29/120.1

(Continued)

OTHER PUBLICATIONS

Samsung Galaxy Gear smartwatch to be powered by the Exynos 4212 chipset, posted Aug. 16, 2013, [retrieved Sep. 28, 2017]. Retrieved from Internet, <URL: <http://blog.gsmarena.com/samsung-galaxy-gear-smart-watch-rumored-to-feature-a-dual-core-exynos-chipset/>>.*

(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Kristin E Reed

(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.



(57) **CLAIM**

The ornamental design for a wearable electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a wearable electronic device showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines depict portions of the wearable electronic device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,651,143 A * 7/1997 Zehring A47D 13/025
2/16
D383,993 S * 9/1997 Kalbach D11/3
6,137,675 A * 10/2000 Perkins G06F 1/163
128/876
6,557,498 B1 * 5/2003 Smierciak A01K 27/006
119/858
D503,895 S * 4/2005 Black D10/32
D563,818 S * 3/2008 Varon D11/3
D569,577 S * 5/2008 Barker D2/614
D595,254 S * 6/2009 Roberts D14/138 AA
D642,953 S * 8/2011 Conway, Jr. D11/11
D651,932 S * 1/2012 Molik D11/3
8,196,588 B1 * 6/2012 Krenzel A61F 5/3738
128/869
D675,545 S * 2/2013 Bonomi D11/3
D686,217 S * 7/2013 Andre D11/2
D714,672 S * 10/2014 Park D11/3

D721,858 S * 1/2015 Haigh D29/120.2
D726,678 S * 4/2015 Park D14/138 R
D750,070 S * 2/2016 Magi D14/344
D782,286 S * 3/2017 Rothbaum D8/356
9,668,550 B2 * 6/2017 Seo A44C 5/0076
2016/0073519 A1 * 3/2016 Hiroki G06F 1/163
361/749

OTHER PUBLICATIONS

Limpador antibacteriano escova de esfoliação corporal, NOVA escova de limpeza facial para limpeza profunda dos poros, corpo de silicone escova facial, posted unknown, [retrieved Sep. 29, 2017]. Retrieved from Internet, <URL: https://portuguese.alibaba.com/product-detail/antibacterial-cleanser-body-scrub-brush-new-fac.*>
Bike Light of the Future: LED Grid Displays Signals, Graphics on Your Back, posted Aug. 26, 2013, [retrieved Sep. 29, 2017]. Retrieved from Internet, <URL: <https://gearjunkie.com/fos-led-grid>>.*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

