



US00D811611S

(12) **United States Design Patent** (10) **Patent No.:** **US D811,611 S**
Lind et al. (45) **Date of Patent:** **** Feb. 27, 2018**

(54) **SUPPORT PATCH** 4,828,555 A * 5/1989 Hermansson A61F 5/4401
604/358
(71) Applicant: **3M INNOVATIVE PROPERTIES** D350,200 S * 8/1994 Gerhartl D24/124
COMPANY, St. Paul, MN (US) D393,712 S * 4/1998 Clay D24/124
5,807,365 A * 9/1998 Luceri A61F 13/4756
604/358
(72) Inventors: **Jason S. Lind**, Woodbury, MN (US); D434,145 S * 11/2000 Sugahara D24/125
Diane L. Emslander, City of Grant, D477,077 S * 7/2003 Ribeiro de Carvalho ... D24/124
MN (US); **Dominic J. Julian**, D483,117 S * 12/2003 Glaug D24/124
Woodbury, MN (US) D484,973 S * 1/2004 Costea D24/125
D493,525 S * 7/2004 Chen D24/124
(73) Assignee: **3M INNOVATIVE PROPERTIES** D554,254 S * 10/2007 Cole D24/124
COMPANY, St. Paul, MN (US) 7,278,988 B2 * 10/2007 Molas A61F 13/4704
604/380
(**) Term: **15 Years** D574,085 S * 7/2008 Lucchetti D24/189
8,079,992 B2 * 12/2011 Bissah A61F 13/15203
604/385.01
(21) Appl. No.: **29/586,372** D684,261 S * 6/2013 Mason, Jr. D24/125
(22) Filed: **Dec. 2, 2016** (Continued)

(51) **LOC (11) Cl.** **24-02**
(52) **U.S. Cl.**
USPC **D24/189**

(58) **Field of Classification Search**
USPC D24/190, 191, 192, 124, 125, 126, 135,
D24/189; D2/641, 642, 864; D7/683,
D7/684, 685, 686, 687, 688, 689, 690,
D7/691, 692; D8/15, 16, 10, 11, 19;
D19/37, 39, 101; D20/10, 11, 27;
D16/301; D6/592, 644, 650, 707.22;
D28/7; 602/901
CPC A41D 13/065; A41D 13/08; A41D 13/05;
A41D 13/0568; A61M 2210/0618; A61M
2025/0226; A61M 25/02; A63B 71/12;
A63B 2209/10
See application file for complete search history.


(56) **References Cited**
U.S. PATENT DOCUMENTS
4,630,600 A * 12/1986 Spencer A61F 5/0111
602/27
4,738,676 A * 4/1988 Osborn, III A61F 13/531
604/378

Primary Examiner — Thomas Johannes
Assistant Examiner — Samantha Q Lawrence
(74) *Attorney, Agent, or Firm* — Irina Hass

(57) **CLAIM**
The ornamental design for a support patch, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view showing a new design for a support patch;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a left side view thereof, a right side view being a mirror image thereof.
The portions of the support patch in FIGS. 1-6 shown in broken lines are included to show features that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D706,417 S * 6/2014 Nelson D24/124
9,308,137 B2 * 4/2016 Schultz A61F 13/4704

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6