



US00D811633S

(12) **United States Design Patent** (10) **Patent No.:** **US D811,633 S**  
**Gould** (45) **Date of Patent:** **\*\* Feb. 27, 2018**

(54) **REAR LIGHT FOR VEHICLE**  
(71) Applicant: **LONDON EV COMPANY LIMITED,**  
Coventry (GB)  
(72) Inventor: **Jonathan Gould,** Birmingham (GB)  
(73) Assignee: **LONDON EV COMPANY LIMITED,**  
Coventry (GB)  
(\*\*) Term: **15 Years**

D647,225 S \* 10/2011 Conway ..... D26/2  
D657,895 S \* 4/2012 Frenzel ..... D26/28  
D657,896 S \* 4/2012 Frenzel ..... D26/28  
D674,935 S \* 1/2013 Conway ..... D26/28  
D687,178 S \* 7/2013 Grandsart ..... D26/85  
D701,631 S \* 3/2014 Goto ..... D26/28  
D745,725 S \* 12/2015 McMahan ..... D26/28  
D747,514 S \* 1/2016 McMahan ..... D26/28  
D750,818 S \* 3/2016 Lin ..... D26/28  
D770,066 S \* 10/2016 Schneider ..... D26/28  
D772,447 S \* 11/2016 Lin ..... D26/28  
D773,080 S \* 11/2016 Liu ..... D26/28  
D773,086 S \* 11/2016 McCabe ..... D26/28  
D773,702 S \* 12/2016 Noguchi ..... D26/28

(21) Appl. No.: **35/501,741**

(Continued)

(22) Filed: **Apr. 21, 2016**

Primary Examiner — Rhea Shields

(74) Attorney, Agent, or Firm — Snell & Wilmer L.L.P.

(80) **Hague Agreement Data**

Int. Filing Date: **Apr. 21, 2016**  
Int. Reg. No.: **DM/091951**  
Int. Reg. Date: **Apr. 21, 2016**  
Int. Reg. Pub. Date: **Oct. 21, 2016**

(57) **CLAIM**

The ornamental design for a rear light for vehicle, as shown and described.

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Oct. 21, 2015 (GB) ..... 002830463

(51) **LOC (11) Cl.** ..... **26-06**

(52) **U.S. Cl.**  
USPC ..... **D26/28**

(58) **Field of Classification Search**  
USPC ..... D26/28, 120, 2, 85, 93, 89, 118;  
362/235, 459  
CPC ..... B60Q 1/2615; B60Q 1/0683  
See application file for complete search history.

1.-2. Rear light for vehicles

- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Right
- 1.4 : Top
- 1.5 : Back
- 1.6 : Left
- 1.7 : Bottom
- 2.1 : Perspective
- 2.2 : Front
- 2.3 : Right
- 2.4 : Top
- 2.5 : Back
- 2.6 : Left
- 2.7 : Bottom


In Embodiment 2, the spaced shade lines are for the purpose of illustrating illumination specific to the inner and outer portions of the rear light, and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,445,645 A \* 5/1969 Newman ..... B60Q 1/2615  
362/235  
7,775,698 B2 \* 8/2010 Shoji ..... B60Q 1/0683  
362/459  
D635,700 S \* 4/2011 Kim ..... D26/28

**1 Claim, 14 Drawing Sheets**



(56)


**References Cited**

## U.S. PATENT DOCUMENTS


D774,683	S	*	12/2016	Wang	.....	D26/93
D776,846	S	*	1/2017	Willett	.....	D26/28
D783,194	S	*	4/2017	Camarota	.....	D26/89
D784,578	S	*	4/2017	Giolito	.....	D26/28
D784,599	S	*	4/2017	Sibitzky	.....	D26/118
D789,580	S	*	6/2017	Schneider	.....	D26/28
D790,745	S	*	6/2017	Lai	.....	D26/28
D790,757	S	*	6/2017	Goltche	.....	D26/120
D792,619	S	*	7/2017	Wu	.....	D26/28
D792,624	S	*	7/2017	Lai	.....	D26/28
D792,989	S	*	7/2017	Han	.....	D26/28
D792,992	S	*	7/2017	Roura	.....	D26/28
D793,592	S	*	8/2017	Chen	.....	D26/28
D794,843	S	*	8/2017	Han	.....	D26/28
D795,473	S	*	8/2017	Fujiwara	.....	D26/28
D796,708	S	*	9/2017	Lai	.....	D26/28
D796,716	S	*	9/2017	Lin	.....	D26/28
D797,361	S	*	9/2017	Deyaf	.....	D26/120
D797,967	S	*	9/2017	Barry	.....	D26/28
D797,972	S	*	9/2017	Whitla	.....	D26/28

\* cited by examiner


1.1



1.2




1.3



**1.4**



1.5



1.6







1.7




2.1




2.2




2.3




2.4



2.5



2.6



2.7

