



US00D811705S

(12) **United States Design Patent**
Hughes et al.

(10) **Patent No.:** **US D811,705 S**
(45) **Date of Patent:** **** Mar. 6, 2018**

(54) **FOOTWEAR SOLE**

(71) Applicant: **Honeywell International Inc.**, Morris Plains, NJ (US)

(72) Inventors: **Phillip Hughes**, Ballarat (AU); **Brett Huggins**, Ballarat (AU)

(73) Assignee: **Honeywell International Inc.**, Morris Plains, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/576,117**

(22) Filed: **Aug. 31, 2016**

(51) **LOC (11) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/957**; D2/951; D2/953; D2/959;
D2/960

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/1, 1.5, 3 B, 22 R,
36/24.5, 25 R, 28, 32 R, 34 R, 59 C,
36/67 A, 101-107, 114-116, 117.3, 117.4,
36/124-136
CPC A43B 13/00; A43B 13/02; A43B 13/023;
A43B 13/026; A43B 13/04; A43B 13/08;
A43B 13/10; A43B 13/12; A43B 13/14;
A43B 13/141; A43B 13/143; A43B
13/16; A43B 13/18; A43B 13/181; A43B
13/187; A43B 13/189; A43B 13/20; A43B
13/22; A43B 13/223; A43B 13/24; A43B
13/28; A43B 13/30; A43B 13/32; A43B
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,987 S * 11/1997 Bramani D2/957
D440,748 S * 4/2001 Morgan D2/953
D450,914 S * 11/2001 Wilson D2/956

D467,712 S * 12/2002 Delgorgue D2/951
D468,083 S * 1/2003 Morais D2/959
D471,697 S * 3/2003 Laberge D2/953
D476,799 S * 7/2003 Fuerst D2/952
D488,294 S * 4/2004 Lancon D2/953

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101237787 A 8/2008
EP 0766932 A1 4/1997

OTHER PUBLICATIONS

Oliver 45 Series Leather Composite Mid Boot, OliverSafetyBoots.com, [online], [site visited Jul. 18, 2017]. <URL: <http://www.oliversafetyboots.com/product/AT-45-Series-Dual-Density-PU-TPU-Comp-Toe/mens-industry>>.*

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Jonathan J. Han

(74) *Attorney, Agent, or Firm* — Conley Rose, P.C.

(57)

CLAIM

The ornamental design for a footwear sole, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a footwear sole in accordance with the new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a bottom plan view thereof;



FIG. 5 is a top plan view thereof;

FIG. 6 is a side elevation view thereof; and,

FIG. 7 is an alternate side elevation view thereof, showing the side opposing that shown in FIG. 6.

The broken lines shown in the drawings are only provided to illustrate the environment of the design and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited


U.S. PATENT DOCUMENTS

D490,596	S *	6/2004	Belley	D2/956
D498,042	S *	11/2004	Recchi	D2/947
D499,536	S *	12/2004	Castleberry	D2/947
D501,708	S *	2/2005	Andrews-Kramer	D2/953
D504,205	S *	4/2005	Andrews-Kramer	D2/953
D506,306	S *	6/2005	Teague	D2/953
D509,345	S *	9/2005	Munns	D2/953
D509,346	S *	9/2005	Recchi	D2/957
D546,533	S *	7/2007	Chen	D2/953
D552,335	S *	10/2007	Matis	D2/953
D556,985	S *	12/2007	Schoenborn	D2/952
D564,192	S *	3/2008	Covatch	D2/953
D566,938	S *	4/2008	Matis	D2/957
D569,595	S *	5/2008	Le	D2/957
D588,791	S *	3/2009	Nelson	D2/951
D655,902	S *	3/2012	Debiase	D2/951
D662,695	S *	7/2012	McVicker	D2/902
D671,718	S *	12/2012	McVicker	D2/908
D680,723	S *	4/2013	Joseph	D2/951
D688,035	S *	8/2013	Recchi	D2/951
D702,032	S *	4/2014	Nakano	D2/951
D724,296	S *	3/2015	Law	D2/951
D725,880	S *	4/2015	Bramani	D2/951
D735,453	S *	8/2015	Monroy	D2/951

OTHER PUBLICATIONS

Oliver AT 55-332-150mm Lace-up Safety Boots, StoneX.com.au, [online], [site visited Jul. 18, 2017]. <URL: <https://www.stonex.com.au/products/oliver-at-55-232-150mm-lace-up-safety-boots>>.*
 AT 55 Series, Oliver.com.au, [online], [site visited Jul. 18, 2017]. <URL: http://www.oliver.com.au/asp/show_products.asp?safety=x>.*
 Oliver's AT 55-332 Lace up Boot (Brandnew)—Size UK10 US11, GumTree.com.au, Date Listed: Nov. 20, 2016, [online], [site visited Jul. 18, 2017]. <URL: <https://www.gumtree.com.au/s-ad/canning-vale/men-s-shoes/oliver-s-at-55-332-lace-up-boot-brand-new-size-uk10-us11/1130414539>>.*
 Work Safety Sole, US.Vibram.com, [online], [site visited Jul. 18, 2017]. <URL: <http://us.vibram.com/industrial/work-safety/>>.*
 Caterpillar Men's Rangier MR 6" Steel Toe Work Boot, Amazon.com, Date first available at Amazon.com: Sep. 21, 2010, [online], [site visited Jul. 18, 2017]. <URL: <https://www.amazon.com/Caterpillar-Mens-Rangler-MR-Steel/dp/B007CNAD4Q>>.*
 Acme Fabrik, 'Safety Requirements' [retrieved from the internet on Jan. 1, 2018], <URL: <https://web.archive.org/web/20160731021649/http://acmefabrik.com/Safetyrequirements.aspx>>.*
 published on Jul. 31, 2016 as per Wayback Machine, 4 pages.
 Australia Innovation Patent No. 2016101546, Examination Report No. 1, dated Nov. 1, 2017, 4 pages.

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D811,705 S
APPLICATION NO. : 29/576117
DATED : March 6, 2018
INVENTOR(S) : Phillip Hughes et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Page (2), OTHER PUBLICATIONS, Line 14: "Rangier" should be "Rangler"

Signed and Sealed this
Twenty-fourth Day of April, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office