



US00D811720S

(12) **United States Design Patent**  
**Crowhurst**

(10) **Patent No.:** **US D811,720 S**  
(45) **Date of Patent:** **\*\* Mar. 6, 2018**

(54) **CANE**

(71) Applicant: **HurryCane LLC**, Minnetonka, MN  
(US)

(72) Inventor: **Christopher Crowhurst**, Savage, MN  
(US)

(73) Assignee: **HURRYWORKS LLC**, Port  
Washington, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/451,763**

(22) Filed: **Apr. 8, 2013**

(51) **LOC (11) Cl.** ..... **03-03**

(52) **U.S. Cl.**  
USPC ..... **D3/17**

(58) **Field of Classification Search**  
USPC ..... D3/7, 10, 17; D6/495; D7/672, 693;  
D23/262; D24/214; D26/123, 124, 150;  
135/72; D18/15, 18  
CPC ..... A61H 3/0288  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

765,984 A	7/1904	Morris et al.
1,369,580 A	2/1921	Uchytel
2,453,742 A	11/1948	Bowen et al.
2,538,658 A	1/1951	Saurer
2,753,586 A	7/1956	Metz

(Continued)

**FOREIGN PATENT DOCUMENTS**

CA	449581	7/1948
DE	4108834	9/1992
GB	1181795	2/1970

**OTHER PUBLICATIONS**

U.S. Appl. No. 13/858,680, filed Apr. 8, 2013, Crowhurst.

(Continued)

*Primary Examiner* — Karen E Kearney

*Assistant Examiner* — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — McCarter & English,  
LLPHU


(57) **CLAIM**

The ornamental design for the cane, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a cane.  
 FIG. 2 is a front left perspective view of the cane in a collapsed usage condition.  
 FIG. 3 is a front elevation view of the cane in an extended usage condition.  
 FIG. 4 is a front elevation view the cane in a retracted usage condition.  
 FIG. 5 is a rear elevation view of the cane in an extended usage condition.  
 FIG. 6 is a rear elevation view of the cane in a retracted usage condition.  
 FIG. 7 is a right elevation of the cane in an extended usage condition.  
 FIG. 8 is a right elevation view of the cane in a retracted usage condition.  
 FIG. 9 is a left elevation view of the cane in an extended usage condition.  
 FIG. 10 is a left elevation view of the cane in a retracted usage condition.  
 FIG. 11 is a bottom plan view of the cane.  
 FIG. 12 is a bottom plan view of the cane in a collapsed usage condition.  
 FIG. 13 is a top plan view of the cane; and,  
 FIG. 14 is top plan view of the cane in a collapsed usage condition.  
 The broken lines are shown to illustrate environmental structure and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

3,163,437 A 12/1964 William  
 3,731,698 A 5/1973 Buchalter  
 4,044,784 A 8/1977 Smith  
 4,135,536 A 1/1979 Willis  
 4,440,186 A 4/1984 Lottner  
 D288,052 S \* 2/1987 Daenen et al. .... D7/672  
 D305,702 S \* 1/1990 Taliani et al. .... D3/10  
 4,899,771 A 2/1990 Wilkinson  
 4,947,882 A 8/1990 Levasseur  
 D334,314 S \* 3/1993 Milton ..... D6/495  
 5,640,986 A 6/1997 Herman  
 5,711,334 A 1/1998 Roux  
 5,865,204 A 2/1999 Bracy  
 D411,653 S \* 6/1999 Richey et al. .... D3/10  
 6,601,818 B1 8/2003 Larsen  
 6,883,530 B2 4/2005 Kawakami et al.  
 D511,889 S \* 11/2005 Cockrell ..... D3/17  
 7,047,990 B2 5/2006 Zambrano et al.  
 D558,886 S \* 1/2008 Chen ..... D24/214  
 D570,094 S \* 6/2008 Wainwright ..... D3/17  
 D576,402 S \* 9/2008 White ..... D3/17  
 D587,003 S \* 2/2009 Shinohara ..... D3/17  
 D587,894 S \* 3/2009 Wainwright ..... D3/10  
 7,581,556 B2 9/2009 Haslach, Jr. et al.  
 7,588,044 B2 9/2009 Baker  
 7,611,413 B2 11/2009 Ryan et al.  
 7,637,274 B1 12/2009 Dodson  
 7,647,937 B2 1/2010 Gordon  
 D618,453 S \* 6/2010 Jiang ..... D3/17  
 7,748,396 B2 7/2010 Lasota  
 D627,150 S \* 11/2010 Chao ..... D3/17  
 D627,898 S \* 11/2010 Aulwes et al. .... D24/214

D632,476 S \* 2/2011 Owens et al. .... D3/17  
 D635,224 S \* 3/2011 Rigolio ..... D23/262  
 D635,351 S \* 4/2011 White ..... D3/17  
 8,166,990 B2 5/2012 Daily  
 8,176,927 B2 5/2012 Wu  
 D666,353 S \* 8/2012 Lin et al. .... D26/124  
 D668,447 S \* 10/2012 Lai ..... D3/17  
 D670,077 S \* 11/2012 Jiang ..... D3/17  
 D680,826 S \* 4/2013 Patel et al. .... D7/693  
 D683,196 S \* 5/2013 Natkiel ..... D7/672  
 8,596,288 B2 12/2013 Daily  
 8,671,962 B1 3/2014 Dodson  
 8,707,975 B2 4/2014 Larson et al.  
 2006/0219280 A1 10/2006 Robinson et al.  
 2006/0254632 A1 11/2006 Willis  
 2013/0032185 A1 2/2013 Sato  
 2013/0291913 A1 \* 11/2013 Soletski et al. .... 135/72

OTHER PUBLICATIONS

“The HurryCane As Seen on TV—Foldable Walking Cane that Stands on its own with 3 Points of Contact,” thehurrycane.com, Jun. 7, 2012, retrieved on Oct. 13, 2014, [https://web.archive.org/web/20120607055811/http://thehurrycane.com/\(S\(06b99a2f1a264eec9d6b7253cf0f33a4\)\)/](https://web.archive.org/web/20120607055811/http://thehurrycane.com/(S(06b99a2f1a264eec9d6b7253cf0f33a4))/), 2 pages.  
 HurryCane Setup Instructions, 2012, 2 pages.  
 HurryCane Certificate of Authenticity, 2013, 2 pages.  
 HurryCane Freedom Edition Setup Instructions, Oct. 2013, 2 pages.  
 International Search Report and Written Opinion in International Application No. PCT/US2013/036181, mailed Feb. 13, 2014, 14 pages.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 14