



US00D811822S

(12) **United States Design Patent** (10) **Patent No.:** **US D811,822 S**
Hoekstra et al. (45) **Date of Patent:** **** Mar. 6, 2018**

(54) **INSULATING CUP SLEEVE**

(71) Applicant: **Huhtamäki Oyj**, Espoo (FI)

(72) Inventors: **Aad Hoekstra**, ae Zutphen (NL); **Neil Roderick Marshall**, Hants (GB); **Stephen Gregory Knipe**, Hayling Island (GB)

(73) Assignee: **HUHTAMAKI, INC.**, De Soto, KS (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/545,060**

(22) Filed: **Nov. 9, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/130,685, filed on Jul. 26, 2011, now Pat. No. 9,278,797.

(51) **LOC (11) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/605; D7/642.2**

(58) **Field of Classification Search**
USPC D7/507, 601, 602, 607, 608, 619.1, D7/624.1–624.3, 701, 703, 708, 605; D3/202; 211/41.2, 57.1, 59.2, 66, 74, 211/94.01, 181.1, 189; 248/220.41, 303, 248/312.1; D9/711
CPC A47B 55/00; A47B 55/02; A47B 73/00; A47B 73/002; A47B 73/004; A47B 73/006; A47B 73/008; A47B 69/00; A47G 23/0266; A47J 47/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,908,523 A 9/1975 Shikaya
5,226,585 A 7/1993 Varano

D345,897 S * 4/1994 Vitez D7/608
D358,071 S * 5/1995 Gill D7/605
D380,124 S * 6/1997 Kato D7/540
5,772,111 A 6/1998 Kirsch
5,820,016 A 10/1998 Stropkay
D458,086 S * 6/2002 Marks D7/605
D479,950 S * 9/2003 Lin D7/523
6,986,436 B2 * 1/2006 Smith B65D 25/36
220/660
D554,434 S 11/2007 Morrison et al.
D618,962 S * 7/2010 Liming D7/396.2
D640,507 S * 6/2011 Selina D7/607
D643,689 S * 8/2011 Selina D7/607

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1785370 B1 3/2008
WO 2007126783 A1 11/2007
WO 2008045708 A1 4/2008

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(57) **CLAIM**


The ornamental design for an insulating cup sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the design of an insulating cup sleeve showing the new design; FIG. 2 is a bottom perspective view of the insulating cup sleeve showing the new design; and, FIG. 3 is a front elevation view of the insulating cup sleeve shown in FIG. 1 (the rear elevation view, the left elevation view, and the right elevation view of the insulating cup sleeve are each an identical image of the view shown in FIG. 3).

The broken lines shown in the drawing views are included for the purpose of showing environmental structure or boundary lines that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D643,690	S	*	8/2011	Selina		D7/607
D643,691	S	*	8/2011	Selina		D7/607
D643,692	S	*	8/2011	Selina		D7/607
8,006,861	B2		8/2011	Kim		
D650,634	S	*	12/2011	Hodge		D7/523
D664,008	S	*	7/2012	Welch		D7/606
8,627,982	B2	*	1/2014	Selina		B65D 81/3876 220/738
2006/0000882	A1	*	1/2006	Darzinskas		B65D 81/3879 229/403
2008/0078824	A1	*	4/2008	Spriegel		B65D 81/3876 229/403
2009/0057257	A1	*	3/2009	Marcus		A61J 9/08 215/11.6
2009/0321460	A1		12/2009	Kim		
2011/0272459	A1	*	11/2011	Hoekstra		B65D 25/205 229/400

* cited by examiner

FIG. 1




FIG. 2




FIG. 3

