



US00D811835S

(12) **United States Design Patent**
Katzmann

(10) **Patent No.:** **US D811,835 S**
(45) **Date of Patent:** **** Mar. 6, 2018**

(54) **LIGHT BULB INSTALLATION DEVICE**

(71) Applicant: **Jeff Katzmann**, Rockwall, TX (US)

(72) Inventor: **Jeff Katzmann**, Rockwall, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/585,425**

(22) Filed: **Nov. 23, 2016**

(51) **LOC (11) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/14**

(58) **Field of Classification Search**
USPC D8/14, 51
CPC H01K 3/32; H01J 9/003; B25B 23/0028;
B25B 9/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|-----------|-------|------------------------|
| 1,764,278 | A * | 6/1930 | Olby | | H01K 3/32 24/567 |
| 2,766,060 | A * | 10/1956 | Fuller | | H01K 3/32 81/53.11 |
| 4,663,966 | A * | 5/1987 | Fisher | | G01N 15/06 73/61.73 |
| 5,317,939 | A * | 6/1994 | Marinescu | | H01K 3/32 294/100 |
| 5,570,919 | A * | 11/1996 | Eusebe | | B25J 1/04 294/111 |
| 7,143,668 | B2 * | 12/2006 | Johnson | | B25B 9/00 81/53.1 |
| 7,270,031 | B1 * | 9/2007 | Huls | | H01J 9/003 81/436 |

| | | | | | |
|-----------|------|--------|------------|-------|-----------|
| D610,887 | S * | 3/2010 | Vivatvanit | | D8/14 |
| 9,070,544 | B1 * | 6/2015 | Shaps | | H01K 3/32 |
| 9,613,794 | B2 * | 4/2017 | Becker | | H01K 3/32 |
| 9,679,760 | B2 * | 6/2017 | Johnson | | H01K 3/32 |
| 9,750,987 | B2 * | 9/2017 | Battigello | | B62J 7/04 |

* cited by examiner

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Mark Malek; Widerman Malek, PL

(57) **CLAIM**

The ornamental design for a light bulb installation device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a light bulb installation device according to the present invention.

FIG. 2 is a side elevation view of the light bulb installation device illustrated in FIG. 1.

FIG. 3 is another side elevation view of the light bulb installation device illustrated in FIG. 1.

FIG. 4 is a rear elevation view of the light bulb installation device illustrated in FIG. 1.


FIG. 5 is a front elevation view of the light bulb installation device illustrated in FIG. 1.

FIG. 6 is a top plan view of the light bulb installation device illustrated in FIG. 1; and,

FIG. 7 is a bottom plan view of the light bulb installation device illustrated in FIG. 1.

The broken lines depict a connector to be used in connection with the light bulb installation system and does not form a claimed feature of the present invention.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

