



US00D811924S

(12) **United States Design Patent**
Haarburger

(10) **Patent No.:** **US D811,924 S**
(45) **Date of Patent:** **** Mar. 6, 2018**

(54) **BRACELET KEY RING**
(71) Applicant: **NITE IZE, INC.**, Boulder, CO (US)
(72) Inventor: **Daniel Haarburger**, Boulder, CO (US)
(73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/589,615**

D12,370 S *	7/1881	Wallace	D11/20
D12,374 S *	7/1881	Wilkinson	D11/20
D148,114 S *	12/1947	Pruett et al.	D11/17
D243,359 S *	2/1977	Nevrous	63/15.5
D374,306 S *	10/1996	Query	28/41
D390,000 S *	2/1998	Savas	D3/208
D462,287 S *	9/2002	Rosenwasser	D11/13
D535,210 S *	1/2007	Park	D11/27
D667,996 S *	9/2012	Krasniansky	28/41
D698,996 S *	2/2014	Krasniansky	D28/41
D709,648 S *	7/2014	Hsu	A45D 8/00 D28/41

(Continued)

(22) Filed: **Jan. 3, 2017**
(51) **LOC (11) Cl.** **11-01**
(52) **U.S. Cl.**
USPC **D11/3; D3/208**
(58) **Field of Classification Search**
USPC D11/1-40, 79-86; D3/208; D14/344;
D28/41
CPC ... A44C 5/0007; A44C 5/0015; A44C 5/0023;
A44C 5/003; A44C 5/0038; A44C
5/0053; A44C 5/0061; A44C 5/0069;
A44C 5/0084; A44C 5/0092; A44C 5/02;
A44C 5/022; A44C 5/025; A44C 5/04;
A44C 5/10; A44C 5/102; A44C 5/105;
A44C 5/107; A44C 5/12; A44C 5/14;
A44C 5/142; A44C 5/18; A44C 5/185;
A44C 5/20; A44C 5/22; A44C 5/2009;
A44C 5/2023; A44C 9/00; A44C 9/0038;
A44C 9/0046; A44C 9/0069; A44C
9/0084; A44C 9/02; A44C 17/00; A44C
17/003; A44C 17/007; A44C 17/02; A44C
25/00; A44C 25/001; A44C 25/002; A44C
25/004; A44C 25/005; A44C 25/007
See application file for complete search history.

Primary Examiner — Cynthia Ramirez
Assistant Examiner — L. Martinez-Rivera
(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP;
Robert P. Ziemian

(57) **CLAIM**

The ornamental design for a bracelet key ring, as shown and described.

DESCRIPTION


FIG. 1 shows a front perspective view of a bracelet key ring;
FIG. 2 shows a rear perspective view of the bracelet key ring
of FIG. 1;
FIG. 3 shows a front view of the bracelet key ring of FIG.
1;
FIG. 4 shows a rear view of the bracelet key ring of FIG. 1;
FIG. 5 shows a top view of the bracelet key ring of FIG. 1;
FIG. 6 shows a bottom view of the bracelet key ring of FIG.
1;
FIG. 7 shows a left side view of the bracelet key ring of FIG.
1; and,
FIG. 8 shows a right side view of the bracelet key ring of
FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

191,140 A *	5/1877	Hammond et al.	..	A44C 5/0092 63/11
204,548 A *	6/1878	Durand	A44C 5/0076 D11/20

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D721,607 S *	1/2015	Lindstrom	D11/3
D728,409 S *	5/2015	Bar-Am	D11/3
D730,232 S *	5/2015	Wempe	D11/38
9,084,455 B2 *	7/2015	Millan	A44C 5/0007
D791,006 S *	7/2017	Ramsey	D11/4

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

