



US00D811994S

(12) **United States Design Patent**  
**Hare**

(10) **Patent No.:** **US D811,994 S**  
(45) **Date of Patent:** **\*\* Mar. 6, 2018**

(54) **BATTERY PACK**

(71) Applicant: **USP Limited**, Minster Lovell, Oxford (GB)

(72) Inventor: **Stephen John Hare**, Minster Lovell (GB)

(73) Assignee: **JSP LIMITED**, Minster Lovell (GB)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/552,337**

(22) Filed: **Jan. 21, 2016**

(30) **Foreign Application Priority Data**

Aug. 13, 2015 (EM) ..... 002754093  
Sep. 16, 2015 (EM) ..... 002773820

(51) **LOC (11) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/103**

(58) **Field of Classification Search**  
USPC ..... D13/102–106, 110, 118–119, 184  
CPC ..... Y02E 60/12; Y02E 60/122; Y02E 60/124;  
Y02E 60/50; H01M 2/02; H01M 2/022;  
H01M 2/0202; H01M 2/0207; H01M  
2/0212; H01M 2/1061; H01M 2/1022;  
H01M 2/1055; H01M 2/1066; H01M  
2/105; H01M 2/204; H01M 2/1016;  
H01M 2200/00; H01M 10/4257; H01M  
10/0436; H01M 10/48; H01M 10/42  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D391,622 S \* 3/1998 Huynh ..... D13/103  
D546,277 S \* 7/2007 Andre ..... D13/103

D568,240 S \* 5/2008 Haydvogel ..... D13/103  
D595,221 S \* 6/2009 Schussler ..... D13/103  
D618,167 S \* 6/2010 Tiffe ..... D13/103  
D642,517 S \* 8/2011 Inman ..... D13/103  
D686,981 S \* 7/2013 Koyabu ..... D13/103  
D709,824 S \* 7/2014 Evans ..... D13/103  
D726,356 S \* 4/2015 Windom ..... D13/103  
D760,644 S \* 7/2016 Phillips ..... D13/103  
D778,235 S \* 2/2017 Geier ..... D13/103  
D788,698 S \* 6/2017 Lin ..... D13/103  
2002/0079864 A1 \* 6/2002 Soumi ..... H02J 7/0044  
320/115

\* cited by examiner

*Primary Examiner* — Rosemary K Tarcza

*Assistant Examiner* — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — King & Schickli, PLLC



(57) **CLAIM**

The ornamental design for a battery pack, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a battery pack;  
FIG. 2 is a front view of the battery pack;  
FIG. 3 is a side view of the battery pack;  
FIG. 4 is a top view of the battery pack;  
FIG. 5 is a bottom view of the battery pack; and,  
FIG. 6 is a rear view of the battery pack.  
The broken lines shown in the drawings are included for the purpose of illustrating portions of the battery pack and form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D811,994 S  
APPLICATION NO. : 29/552337  
DATED : March 6, 2018  
INVENTOR(S) : Stephen John Hare


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item [71], replace "USP Limited" with -- JSP Limited --.

Signed and Sealed this  
Twenty-sixth Day of June, 2018



Andrei Iancu  
*Director of the United States Patent and Trademark Office*