



US00D812107S

(12) **United States Design Patent**
Ayers et al.

(10) **Patent No.:** **US D812,107 S**
(45) **Date of Patent:** **** Mar. 6, 2018**

- (54) **NOZZLE COVER**
- (71) Applicant: **Central Illinois Manufacturing Company**, Bement, IL (US)
- (72) Inventors: **Jeffrey Alan Ayers**, Decatur, IL (US); **Matthew David Valentine**, Bement, IL (US); **Eric Briner Packard**, Champaign, IL (US); **Eric James Brown**, Decatur, IL (US)
- (73) Assignee: **Central Illinois Manufacturing Company**, Bement, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/597,081**

(22) Filed: **Mar. 14, 2017**

(51) **LOC (11) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/9.1**

(58) **Field of Classification Search**
 USPC D15/7-9.3; D23/231, 232, 225; 417/60, 417/235, 265, 321, 355, 358, 363, 359, 417/410.1, 415-416, 405, 900, 269, 539; 60/408, 412; 184/26-37; 415/140-147; 123/495, 509; 137/565.34; D9/436, 447; 141/208; 222/529
 CPC F02M 37/04; F02M 37/14; F04B 53/92; F04B 1/005; F04D 13/06; F04D 29/22; F04D 29/046; F04D 29/2266; B67D 7/44
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,524,509 A 10/1950 Barney
- D205,275 S 7/1966 Besore
- 3,521,679 A * 7/1970 Copony B67D 7/44
141/208

- 4,129,236 A * 12/1978 Wrycraft B65D 47/14
220/320
- 4,640,446 A * 2/1987 Walker B67D 7/06
215/398
- 4,832,238 A * 5/1989 Taylor B65D 25/48
141/337

(Continued)

Primary Examiner — Ralf Seifert
(74) *Attorney, Agent, or Firm* — Michael Stanley Tomsa; McAndrews, Held & Malloy, Ltd.



(57) **CLAIM**

The ornamental design for a nozzle cover, as shown and described.

DESCRIPTION

FIG. 1 is a left-frontal perspective view of a nozzle cover showing our new design according to a first embodiment; FIG. 2 is a rear perspective view thereof; FIG. 3 is a bottom elevation view thereof; FIG. 4 is a top elevation view thereof; FIG. 5 is a right-side elevation view thereof; FIG. 6 is a left-side elevation view thereof; FIG. 7 is a rear plan view thereof; FIG. 8 is a front plan view thereof; FIG. 9 is a right-side perspective view thereof positioned on a dispensing nozzle; FIG. 10 is a left-frontal perspective view of a nozzle cover showing our new design according to a second embodiment; FIG. 11 is a rear perspective view of FIG. 10; FIG. 12 is a bottom elevation view of FIG. 10; FIG. 13 is a top elevation view of FIG. 10; FIG. 14 is a right-side elevation view of FIG. 10; FIG. 15 is a left-side elevation view of FIG. 10; FIG. 16 is a rear plan view of FIG. 10; FIG. 17 is a front plan view of FIG. 10; and, FIG. 18 is a right-side perspective view of FIG. 10 positioned on a dispensing nozzle.
 The broken lines in the drawings illustrate portions of the nozzle cover that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,020,702	A *	6/1991	James	B67C 11/04
				141/337
D324,824	S *	3/1992	Hansen	215/388
D420,364	S *	2/2000	Fischer	D15/9.1
D443,488	S *	6/2001	Palladino	D8/14.1
D475,887	S	6/2003	Vostrejs	
D604,609	S *	11/2009	Barker	D9/447
D668,953	S *	10/2012	Maxwell	D9/447
D676,318	S *	2/2013	MacNeill	D9/446
D684,860	S *	6/2013	Parks, Jr.	D9/436
D719,826	S *	12/2014	Burnside	D9/447
D730,730	S *	6/2015	Haley	D9/440
D739,442	S *	9/2015	Schroeder	D15/9.1
D772,303	S *	11/2016	Schroeder	D15/9.1
9,624,088	B2 *	4/2017	Schroeder	B67D 7/54

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18