



US00D812189S

(12) **United States Design Patent**
Yorns et al.

(10) **Patent No.:** **US D812,189 S**
(45) **Date of Patent:** **** Mar. 6, 2018**

(54) **SAFETY AIR GUN**
(71) Applicant: **Guardair Corp.**, Chicopee, MA (US)
(72) Inventors: **Mark W. Yorns**, Longmeadow, MA (US); **Thomas C. Tremblay**, Concord, MA (US); **Scott M. Cline**, New Albany, OH (US); **Ryan S. Crisp**, Lewis Center, OH (US); **Timothy C. Rothwell**, Dublin, OH (US)

(73) Assignee: **Guardair Corp.**, Chicopee, MA (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/566,067**

(22) Filed: **May 26, 2016**

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/223**

(58) **Field of Classification Search**
USPC D23/232, 223, 226, 228, 213, 214, 221,
D23/224-225, 227, 229-230

CPC B05B 7/02; B05B 7/2478; B05B 15/0258;
B05B 15/005; B05B 9/01; A62C 31/28;
A62C 33/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,670,241	A *	2/1954	Pyles	B05B 1/3046
					239/525
D502,987	S *	3/2005	Fritz	D23/226
D512,122	S	11/2005	Yorns et al.		
6,976,640	B2 *	12/2005	Chen	B05B 1/005
					239/290
7,104,262	B2	9/2006	Yorns et al.		
D536,418	S *	2/2007	Huang	D23/226
D537,917	S *	3/2007	Huang	D23/226
D537,918	S *	3/2007	Huang	D23/226

D538,884	S *	3/2007	Fontaine	D23/223
D544,568	S *	6/2007	Cary	D23/213
D561,874	S	2/2008	Downey et al.		
D564,069	S	3/2008	Yorns et al.		
D565,153	S	3/2008	Downey et al.		
D572,341	S *	7/2008	Georgel	D23/223
D574,463	S *	8/2008	Soriano	D23/226
D582,511	S	12/2008	Downey et al.		
D592,277	S	5/2009	Yorns		
D601,223	S	9/2009	Tremblay et al.		
7,591,435	B1	9/2009	Downey et al.		
D605,820	S	12/2009	LaValle et al.		
D606,624	S *	12/2009	Yu	D23/223

(Continued)

Primary Examiner — Robin V Webster

Assistant Examiner — Rachel A Voorhies

(74) *Attorney, Agent, or Firm* — Foley Hoag LLP; Rajesh Vallabh

(57) **CLAIM**

The ornamental design for a safety air gun, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of a safety air gun showing the design;

FIG. 2 is a left side elevation view thereof, the right side being a mirror image thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the design; and,

FIG. 6 is a rear elevation view thereof.

The broken lines in the drawings illustrate portions of the safety air gun that form no part of the claimed design.

1 Claim, 2 Drawing Sheets
(2 of 2 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

7,676,965	B1	3/2010	Nathenson et al.	
D623,814	S	9/2010	LaValle et al.	
D637,268	S	5/2011	Yoms	
D691,700	S *	10/2013	Michael	D23/226
8,719,997	B1	5/2014	Nathenson et al.	
2005/0218285	A1	10/2005	Yoms et al.	
2008/0054104	A1	3/2008	Tremblay et al.	
2015/0082937	A1	3/2015	Yoms et al.	
2015/0273485	A1 *	10/2015	Tiberghien	B05B 1/005 239/526

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D812,189 S
APPLICATION NO. : 29/566067
DATED : March 6, 2018
INVENTOR(S) : Mark W. Yorns et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

FIGS. 1-6 should be replaced with the attached drawings.

Signed and Sealed this
Sixth Day of November, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6