



US00D812189S

(12) **United States Design Patent** (10) **Patent No.:** **US D812,189 S**
Yorns et al. (45) **Date of Patent:** **** Mar. 6, 2018**

(54) **SAFETY AIR GUN**

(71) Applicant: **Guardair Corp.**, Chicopee, MA (US)

(72) Inventors: **Mark W. Yorns**, Longmeadow, MA (US); **Thomas C. Tremblay**, Concord, MA (US); **Scott M. Cline**, New Albany, OH (US); **Ryan S. Crisp**, Lewis Center, OH (US); **Timothy C. Rothwell**, Dublin, OH (US)

(73) Assignee: **Guardair Corp.**, Chicopee, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/566,067**

(22) Filed: **May 26, 2016**

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/223**

(58) **Field of Classification Search**
USPC D23/232, 223, 226, 228, 213, 214, 221, D23/224-225, 227, 229-230
CPC B05B 7/02; B05B 7/2478; B05B 15/0258; B05B 15/005; B05B 9/01; A62C 31/28; A62C 33/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,670,241 A * 2/1954 Pyles B05B 1/3046
239/525

D502,987 S * 3/2005 Fritz D23/226

D512,122 S 11/2005 Yorns et al.

6,976,640 B2 * 12/2005 Chen B05B 1/005
239/290

7,104,262 B2 9/2006 Yorns et al.

D536,418 S * 2/2007 Huang D23/226

D537,917 S * 3/2007 Huang D23/226

D537,918 S * 3/2007 Huang D23/226

D538,884 S * 3/2007 Fontaine D23/223

D544,568 S * 6/2007 Cary D23/213

D561,874 S 2/2008 Downey et al.

D564,069 S 3/2008 Yorns et al.

D565,153 S 3/2008 Downey et al.

D572,341 S * 7/2008 Georgel D23/223

D574,463 S * 8/2008 Soriano D23/226

D582,511 S 12/2008 Downey et al.

D592,277 S 5/2009 Yorns

D601,223 S 9/2009 Tremblay et al.

7,591,435 B1 9/2009 Downey et al.

D605,820 S 12/2009 LaValle et al.

D606,624 S * 12/2009 Yu D23/223

(Continued)

Primary Examiner — Robin V Webster
Assistant Examiner — Rachel A Voorhies
(74) *Attorney, Agent, or Firm* — Foley Hoag LLP; Rajesh Vallabh

(57) **CLAIM**

The ornamental design for a safety air gun, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of a safety air gun showing the design;

FIG. 2 is a left side elevation view thereof, the right side being a mirror image thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the design; and,

FIG. 6 is a rear elevation view thereof.

The broken lines in the drawings illustrate portions of the safety air gun that form no part of the claimed design.

1 Claim, 2 Drawing Sheets
(2 of 2 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

7,676,965	B1	3/2010	Nathenson et al.	
D623,814	S	9/2010	LaValle et al.	
D637,268	S	5/2011	Yoms	
D691,700	S *	10/2013	Michael	D23/226
8,719,997	B1	5/2014	Nathenson et al.	
2005/0218285	A1	10/2005	Yoms et al.	
2008/0054104	A1	3/2008	Tremblay et al.	
2015/0082937	A1	3/2015	Yoms et al.	
2015/0273485	A1 *	10/2015	Tiberghien	B05B 1/005 239/526

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D812,189 S
APPLICATION NO. : 29/566067
DATED : March 6, 2018
INVENTOR(S) : Mark W. Yorns et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

FIGS. 1-6 should be replaced with the attached drawings.

Signed and Sealed this
Sixth Day of November, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6