



US00D812269S

(12) **United States Design Patent** (10) **Patent No.:** **US D812,269 S**
Minamiyama (45) **Date of Patent:** **** Mar. 6, 2018**

(54) **HEADLAMP FOR AN AUTOMOBILE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama, Kanagawa (JP)

JP D1268589 S 4/2006
JP D1328983 S 5/2008

(Continued)

(72) Inventor: **Shin Minamiyama**, Kanagawa (JP)

Primary Examiner — Marcus Jackson

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a headlamp for an automobile, as shown and described.

(21) Appl. No.: **29/586,673**

DESCRIPTION

(22) Filed: **Dec. 6, 2016**

(30) **Foreign Application Priority Data**

Jun. 10, 2016 (JP) 2016-012436

(51) **LOC (11) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**

USPC D26/28–36; 362/80–83, 267–269, 362/459–468, 475–478, 485–487

CPC F21S 48/00; F21S 48/10; F21S 48/115; F21S 48/1233; F21S 48/1266; F21S 48/1388; F21S 48/2268; F21V 21/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D560,291 S * 1/2008 Koyama D26/28
D660,481 S * 5/2012 Gotschke D26/28
D671,248 S * 11/2012 Fuchigami D26/28
D672,482 S * 12/2012 Lee D26/28
D679,429 S * 4/2013 Frenzel D26/28
D708,768 S * 7/2014 Futschik D26/28

(Continued)

FIG. 1 is an outside elevational view of a headlamp for an automobile in accordance with a first embodiment of our new design;

FIG. 2 is an inside elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear side elevational view thereof;

FIG. 6 is a front side elevational view thereof; and,


FIG. 7 is a front side perspective view thereof.

The headlamp is configured to be mounted to an automobile. The mounting structure and support structure of the headlamp, shown in broken lines in FIGS. 1 to 7, form no part of the claimed design since the mounting structure and support structure are hidden when the headlamp is mounted to the automobile.

In addition, the appearance of the rear side structures and inside structures of the headlamp as shown in broken lines in FIGS. 1 to 7 is for purpose of illustrating the boundaries of the exterior surface of the outside of the headlamp, and forms no part of the claimed design. The headlamp has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.

A second embodiment of our new design is identical to the first embodiment. The second embodiment of our new design includes the mirror image of the headlamp shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D709,213 S * 7/2014 Futschik D26/28
 D712,078 S * 8/2014 Muntada Roura D26/28

FOREIGN PATENT DOCUMENTS

JP D1417553 S 6/2011
 JP D1433373 S 2/2012
 JP D1438612 S 4/2012
 JP D1417805 S 6/2012
 JP D1445535 S 7/2012
 JP D1452256 S 10/2012
 JP D1452383 S 10/2012
 JP D1455119 S 11/2012
 JP D1455890 S 11/2012
 JP D1457889 S 12/2012
 JP D1445110 S 2/2013
 JP D1461043 S 2/2013
 JP D1472975 S 6/2013
 JP D1474590 S 7/2013
 JP D1483832 S 11/2013
 JP D1485751 S 12/2013
 JP D1486678 S 12/2013
 JP D1459433 S 1/2014
 JP D1498531 S 6/2014

JP D1498623 S 6/2014
 JP D1499007 S 6/2014
 JP D1447611 S 7/2014
 JP D1503981 S 8/2014
 JP D1504929 S 8/2014
 JP D1505368 S 8/2014
 JP D1508112 S 9/2014
 JP D1508645 S 10/2014
 JP D1511245 S 11/2014
 JP D1511433 S 11/2014
 JP D1517664 S 2/2015
 JP D1518109 S 2/2015
 JP D1518111 S 2/2015
 JP D1518266 S 2/2015
 JP D1501252 S 6/2015
 JP D1526533 S 6/2015
 JP D1531002 S 8/2015
 JP D1532785 S 9/2015
 JP D1538025 S 11/2015
 JP D1550043 S 5/2016
 JP D1551628 S 6/2016
 JP D1552069 S 6/2016
 JP D1552160 S 6/2016
 JP D1555919 S 8/2016
 JP D1527910 S 6/2017
 JP D1538317 S 11/2017

* cited by examiner




FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7