



US00D812345S

(12) **United States Design Patent**
Putman

(10) **Patent No.:** **US D812,345 S**
(45) **Date of Patent:** **** Mar. 13, 2018**

- (54) **SOCK DONNING AID**
- (71) Applicant: **Larry J. Putman**, Scottsboro, AL (US)
- (72) Inventor: **Larry J. Putman**, Scottsboro, AL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/584,769**
- (22) Filed: **Nov. 17, 2016**
- (51) **LOC (11) Cl.** **07-99**
- (52) **U.S. Cl.**
USPC **D2/641**
- (58) **Field of Classification Search**
USPC D2/641-643; D3/200
CPC A47G 25/80; A47G 25/82; A47G 25/84;
A47G 25/845; A47G 25/86; A47G
25/905; A47G 25/907; A47G 25/92;
A47G 25/90
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 349,415 A * 9/1886 Taylor A47G 25/92
24/40
- 438,044 A * 10/1890 Williams A47G 25/92
24/40
- 562,050 A * 6/1896 Ulferts A47G 25/80
223/115
- D32,524 S * 4/1900 Spencer 24/40
- 1,667,583 A * 4/1928 Black A41F 19/00
24/15
- D98,386 S * 1/1936 Farnum D2/642
- 2,199,369 A * 4/1940 Bernstein E05C 17/36
292/262
- 2,692,157 A * 10/1954 Soderberg E05C 17/54
292/288
- 3,401,856 A 9/1968 Berlin
- 3,993,228 A 11/1976 Fuhr
- 4,516,704 A 5/1985 Hagman
- 5,031,806 A 7/1991 Alpert

- 5,050,783 A * 9/1991 Hunter A47G 25/905
223/111
- D365,913 S * 1/1996 Ballard D2/641
- 5,566,868 A * 10/1996 Mariscal A47G 25/80
223/111
- D384,186 S * 9/1997 Teaman D2/643
- 5,826,761 A 10/1998 Basaj
- 5,894,970 A 4/1999 Belkin et al.
- D435,436 S * 12/2000 Lay D8/370
- D508,303 S * 8/2005 Bradley D2/642
- 7,234,616 B2 6/2007 Thom et al.
- D548,427 S * 8/2007 Holt D2/641
- D550,068 S * 9/2007 Takacs D8/370
- D563,775 S * 3/2008 Marconi D8/370
- D611,601 S * 3/2010 Tamai D24/133
- D624,801 S * 10/2010 Radloff D8/308
- D645,216 S * 9/2011 Silas D30/162


(Continued)

Primary Examiner — Celia Murphy
Assistant Examiner — Clare Ann Gannon
(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design

(57) **CLAIM**
The ornamental design for a sock donning aid, as shown and described.

DESCRIPTION
FIG. 1 is a top front perspective view of a sock donning aid, showing my new design;
FIG. 2 is a top rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The cross-hatched shading about the surface of the rectangular portion of the sock donning aid represents a textured surface.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D679,888 S * 4/2013 Sanchez-Garcia D2/641
D745,145 S * 12/2015 Bivens D24/128
D779,784 S * 2/2017 Fowler D2/641
2010/0193554 A1* 8/2010 Atkinson A47G 25/90
223/111
2011/0226821 A1* 9/2011 McGuire A43B 1/0081
223/118
2014/0263486 A1 9/2014 Taylor et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8