



US00D812365S

(12) **United States Design Patent** (10) **Patent No.:** **US D812,365 S**  
**Talley** (45) **Date of Patent:** **\*\* Mar. 13, 2018**

(54) **SHOELACE**

(71) Applicant: **U-Lace, LLC**, Rochester, NY (US)

(72) Inventor: **Timothy J. Talley**, Rochester, NY (US)

(73) Assignee: **U-LACE, LLC**, Rochester, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/584,933**

(22) Filed: **Nov. 18, 2016**

(51) **LOC (11) Cl.** ..... **02-99**

(52) **U.S. Cl.**

USPC ..... **D2/978**; D2/946; D2/976

(58) **Field of Classification Search**

USPC ..... D2/896-900, 910-912, 916, 917, 925,  
D2/946, 969, 970; D21/788

CPC ..... A43B 23/00; A43B 3/0078; A43C 1/02;  
A43C 7/06

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,144,621 A \* 3/1979 Green ..... A43C 11/22  
24/300  
4,733,439 A \* 3/1988 Gentry ..... A43B 3/0078  
206/338  
6,622,357 B2 \* 9/2003 Jackson ..... A43C 7/06  
24/300  
D495,130 S \* 8/2004 Sherman ..... D2/978  
D623,839 S \* 9/2010 Leleu ..... D2/946  
D665,160 S \* 8/2012 Little-Thomas ..... D2/946  
8,590,121 B1 \* 11/2013 Patt, Jr. .... A43B 3/0078  
24/713.1  
8,677,579 B2 \* 3/2014 Talley ..... A43C 1/02  
24/575.1  
9,320,322 B1 \* 4/2016 Castaneda ..... A43C 11/00  
D762,459 S \* 8/2016 Frydlewski ..... D8/356

(Continued)

*Primary Examiner* — Holly H Baynham

*Assistant Examiner* — Rashida C. Walshon

(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP

(57) **CLAIM**

I claim the ornamental design for a shoelace, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the shoelace of my new design in a first embodiment;

FIG. 2 is a front view of the design of FIG. 1;

FIG. 3 is a bottom plan view of the shoelace of FIG. 1;

FIG. 4 is a right side view of the shoelace of FIG. 1;

FIG. 5 is a top plan view of the shoelace of FIG. 1;

FIG. 6 is a rear view of the shoelace of FIG. 1;

FIG. 7 is a left side view of the shoelace of FIG. 1;

FIG. 8 is another perspective view of the shoelace of FIG. 1 in a shoe;

FIG. 9 is a perspective view of the shoelace of my new design in a second embodiment;

FIG. 10 is a front view of the design of FIG. 9;

FIG. 11 is a bottom plan view of the shoelace of FIG. 9;

FIG. 12 is a right side view of the shoelace of FIG. 9;

FIG. 13 is a top plan view of the shoelace of FIG. 9;

FIG. 14 is a rear view of the shoelace of FIG. 9;

FIG. 15 is a left side view of the shoelace of FIG. 9;

FIG. 16 is a perspective view of the shoelace of my new design in a third embodiment;

FIG. 17 is a front view of the design of FIG. 16;

FIG. 18 is a bottom plan view of the shoelace of FIG. 16;

FIG. 19 is a right side view of the shoelace of FIG. 16;


FIG. 20 is a top plan view of the shoelace of FIG. 16;

FIG. 21 is a rear view of the shoelace of FIG. 16; and,

FIG. 22 is a left side view of the shoelace of FIG. 16.

The dot-dash-dot broken lines around the inside of the spine and cross laces are used to show that the material is not part of the claimed design. The dash dash broken lines in FIG. 8 showing a shoe depict environment and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D805,291 S \* 12/2017 Vasquez, Jr. .... D2/978  
2006/0254089 A1\* 11/2006 Frydlewski ..... A43C 11/00  
36/50.1  
2012/0117819 A1\* 5/2012 Atamian ..... A43C 1/02  
36/50.1  
2012/0117820 A1\* 5/2012 Atamian ..... A43C 1/02  
36/50.1

\* cited by examiner




FIG. 1






FIG. 2



FIG. 4




FIG. 3



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9






FIG. 10



FIG. 12




FIG. 11






FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20




FIG. 21



FIG. 22