



US00D812449S

(12) **United States Design Patent**
Baus

(10) **Patent No.:** **US D812,449 S**
(45) **Date of Patent:** **** Mar. 13, 2018**

(54) **SECURITY CABLE**

(71) Applicant: **Pivot Point, Incorporated**, Hustisford, WI (US)

(72) Inventor: **Roman J. Baus**, Rubicon, WI (US)

(73) Assignee: **Pivot Point, Incorporated**, Hustisford, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/596,461**

(22) Filed: **Mar. 8, 2017**

Related U.S. Application Data

(62) Division of application No. 29/550,243, filed on Dec. 31, 2015, now Pat. No. Des. 785,439.

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**

USPC **D8/333**

(58) **Field of Classification Search**

USPC D8/330, 331, 333, 339, 343, 345, 349, D8/499; 70/14, 18, 30, 49, 58, 232, 233,

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

860,189 A 7/1907 Chatfield
1,272,272 A 7/1918 Kell

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 03/043857 5/2003

OTHER PUBLICATIONS

Web page, "Shred Ready Rack Guard Cable", www.amazon.com/Shred-Ready-Rack-Guard-Cable, printed on Mar. 30, 2016, 3 pages.

(Continued)

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.

(57) **CLAIM**

The ornamental design for a security cable, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of security cable showing my new design;

FIG. 2 is a front elevation view of the first embodiment;

FIG. 3 is a top plan view of the first embodiment;

FIG. 4 is a left side elevation view of the first embodiment;

FIG. 5 is a right side elevation view of the first embodiment;

FIG. 6 is a perspective view of a second embodiment of a security cable;

FIG. 7 is a front elevation view of the second embodiment;

FIG. 8 is a top plan view of the second embodiment;

FIG. 9 is a left side elevation view of the second embodiment;

FIG. 10 is a right side elevation view of the second embodiment;

FIG. 11 is a perspective view of a third embodiment of a security cable;

FIG. 12 is a front elevation view of the third embodiment;



FIG. 13 is a top plan view of the third embodiment;

FIG. 14 is a left side elevation view of the third embodiment; and,

FIG. 15 is a right side elevation view of the third embodiment.

The break lines in the drawing indicate undermined length of the cable and the portion between these break lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(58) **Field of Classification Search**

USPC 70/312, 51, DIG. 57, 465; 292/256, 262,
292/264, 281, 288, 245, 95, 307 R, 327;
119/792, 795, 802; 361/679.2; 211/8;
D30/152–154
CPC E05B 15/00; E05B 17/00; E05B 37/002;
E05B 69/00; E05B 73/00; E05B 73/0029;
E05N 73/0017
See application file for complete search history.

5,794,463 A * 8/1998 McDaid E05B 73/0005
248/553
5,956,979 A 9/1999 Collins et al.
D427,883 S 7/2000 Ling
6,367,673 B1 4/2002 Smith et al.
6,389,853 B1 * 5/2002 Pate E05B 45/005
340/432
6,698,723 B1 3/2004 Antonini
6,742,366 B1 * 6/2004 Lai E05B 37/025
70/30
6,763,688 B1 * 7/2004 Syu E05B 73/0082
248/553

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,132,780 A 5/1964 Binding
3,744,281 A 7/1973 Logue et al.
3,800,575 A 4/1974 Perret, III
D267,470 S * 1/1983 Scherbing D8/333
4,366,605 A 1/1983 McKenney
D295,721 S 5/1988 Marshall
4,765,521 A 8/1988 Finnegan
4,896,519 A 1/1990 Pitts
5,095,722 A 3/1992 Chapmond et al.
5,181,402 A * 1/1993 Faessler B65D 63/08
24/16 PB
D339,054 S * 9/1993 Saito D8/333
5,361,610 A * 11/1994 Sanders G11B 33/005
248/552
5,501,494 A 3/1996 Willetts
D370,401 S 6/1996 Minkin
D373,949 S 9/1996 Eldon, III
5,595,073 A 1/1997 Sullivan
5,709,110 A * 1/1998 Greenfield E05B 73/0005
248/553

6,993,942 B2 2/2006 Boni et al.
6,997,021 B2 2/2006 Boni
7,299,668 B1 11/2007 Lu
8,096,153 B2 1/2012 Vogan
8,307,675 B2 11/2012 Avganim
8,683,959 B2 4/2014 Friedland
8,837,144 B1 9/2014 Allen
8,844,329 B2 9/2014 Anderson
8,922,993 B2 12/2014 Seibert
9,103,142 B2 8/2015 Abdollahzadeh
D738,703 S * 9/2015 Thomson D8/333
D785,439 S * 5/2017 Baus D8/333
D786,047 S * 5/2017 Mack D8/330
D795,042 S * 8/2017 Burns D8/333
2011/0219826 A1 9/2011 Jeli et al.
2011/0219828 A1 9/2011 Zhang et al.

OTHER PUBLICATIONS

Web page, “Security Cable—Rack Guard”, Brighton Canoes prod-
uct page, [www.brighton-canoes.co.uk/products/pages/equipment/](http://www.brighton-canoes.co.uk/products/pages/equipment/roof-rack)
roof-rack, printed on Mar. 30, 2016, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15