



US00D812449S

(12) **United States Design Patent**
Baus

(10) **Patent No.:** **US D812,449 S**
(45) **Date of Patent:** **** Mar. 13, 2018**

(54) **SECURITY CABLE**

(71) Applicant: **Pivot Point, Incorporated**, Hustisford, WI (US)

(72) Inventor: **Roman J. Baus**, Rubicon, WI (US)

(73) Assignee: **Pivot Point, Incorporated**, Hustisford, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/596,461**

(22) Filed: **Mar. 8, 2017**

Related U.S. Application Data

(62) Division of application No. 29/550,243, filed on Dec. 31, 2015, now Pat. No. Des. 785,439.

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/333**

(58) **Field of Classification Search**
USPC D8/330, 331, 333, 339, 343, 345, 349, D8/499; 70/14, 18, 30, 49, 58, 232, 233,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

860,189 A 7/1907 Chatfield
1,272,272 A 7/1918 Kell
(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 03/043857 5/2003

OTHER PUBLICATIONS

Web page, "Shred Ready Rack Guard Cable", www.amazon.com/Shred-Ready-Rack-Guard-Cable, printed on Mar. 30, 2016, 3 pages.
(Continued)

Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.



(57) **CLAIM**

The ornamental design for a security cable, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of security cable showing my new design;
FIG. 2 is a front elevation view of the first embodiment;
FIG. 3 is a top plan view of the first embodiment;
FIG. 4 is a left side elevation view of the first embodiment;
FIG. 5 is a right side elevation view of the first embodiment;
FIG. 6 is a perspective view of a second embodiment of a security cable;
FIG. 7 is a front elevation view of the second embodiment;
FIG. 8 is a top plan view of the second embodiment;
FIG. 9 is a left side elevation view of the second embodiment;
FIG. 10 is a right side elevation view of the second embodiment;
FIG. 11 is a perspective view of a third embodiment of a security cable;
FIG. 12 is a front elevation view of the third embodiment;
FIG. 13 is a top plan view of the third embodiment;
FIG. 14 is a left side elevation view of the third embodiment;
and,
FIG. 15 is a right side elevation view of the third embodiment.
The break lines in the drawing indicate undermined length of the cable and the portion between these break lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(58) **Field of Classification Search**

USPC 70/312, 51, DIG. 57, 465; 292/256, 262,
292/264, 281, 288, 245, 95, 307 R, 327;
119/792, 795, 802; 361/679.2; 211/8;
D30/152-154
CPC E05B 15/00; E05B 17/00; E05B 37/002;
E05B 69/00; E05B 73/00; E05B 73/0029;
E05N 73/0017
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,132,780	A	5/1964	Binding	
3,744,281	A	7/1973	Logue et al.	
3,800,575	A	4/1974	Perret, III	
D267,470	S *	1/1983	Scherbing	D8/333
4,366,605	A	1/1983	McKenney	
D295,721	S	5/1988	Marshall	
4,765,521	A	8/1988	Finnegan	
4,896,519	A	1/1990	Pitts	
5,095,722	A	3/1992	Chapmond et al.	
5,181,402	A *	1/1993	Faessler	B65D 63/08 24/16 PB
D339,054	S *	9/1993	Saito	D8/333
5,361,610	A *	11/1994	Sanders	G11B 33/005 248/552
5,501,494	A	3/1996	Willetts	
D370,401	S	6/1996	Minkin	
D373,949	S	9/1996	Eldon, III	
5,595,073	A	1/1997	Sullivan	
5,709,110	A *	1/1998	Greenfield	E05B 73/0005 248/553

5,794,463	A *	8/1998	McDaid	E05B 73/0005 248/553
5,956,979	A	9/1999	Collins et al.	
D427,883	S	7/2000	Ling	
6,367,673	B1	4/2002	Smith et al.	
6,389,853	B1 *	5/2002	Pate	E05B 45/005 340/432
6,698,723	B1	3/2004	Antonini	
6,742,366	B1 *	6/2004	Lai	E05B 37/025 70/30
6,763,688	B1 *	7/2004	Syu	E05B 73/0082 248/553
6,993,942	B2	2/2006	Boni et al.	
6,997,021	B2	2/2006	Boni	
7,299,668	B1	11/2007	Lu	
8,096,153	B2	1/2012	Vogan	
8,307,675	B2	11/2012	Avganim	
8,683,959	B2	4/2014	Friedland	
8,837,144	B1	9/2014	Allen	
8,844,329	B2	9/2014	Anderson	
8,922,993	B2	12/2014	Seibert	
9,103,142	B2	8/2015	Abdollahzadeh	
D738,703	S *	9/2015	Thomson	D8/333
D785,439	S *	5/2017	Baus	D8/333
D786,047	S *	5/2017	Mack	D8/330
D795,042	S *	8/2017	Burns	D8/333
2011/0219826	A1	9/2011	Jeli et al.	
2011/0219828	A1	9/2011	Zhang et al.	

OTHER PUBLICATIONS

Web page, "Security Cable—Rack Guard", Brighton Canoes product page, www.brighton-canoes.co.uk/products/pages/equipment/roof-rack, printed on Mar. 30, 2016, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15