



US00D812460S

(12) **United States Design Patent** (10) **Patent No.:** **US D812,460 S**
Totsu (45) **Date of Patent:** **** Mar. 13, 2018**

(54) **SCREW**

(71) Applicant: **Katsuyuki Totsu**, Sumida-ku (JP)

(72) Inventor: **Katsuyuki Totsu**, Sumida-ku (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/574,953**

(22) Filed: **Aug. 19, 2016**

(51) **LOC (11) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/387**

(58) **Field of Classification Search**

USPC D8/382, 387, 388, 391, 393, 397, 399

CPC F16B 19/00; F16B 35/044; F16B 35/005;

F16B 35/00; F16B 23/003; F16B

23/0038; F16B 23/0046; F16B 23/0053;

F16B 23/00; Y10S 411/959

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,314,274 A * 3/1943 Hallowell F16B 35/005
411/168
2,349,592 A * 5/1944 Hosking F16B 35/005
411/311
3,400,626 A * 9/1968 Bergere B25B 15/005
411/405
3,604,305 A * 9/1971 Dreger F16B 23/003
411/403
3,920,060 A * 11/1975 Heldmann F16B 19/00
411/176
4,384,812 A * 5/1983 Miyagawa F16B 23/0076
411/403

5,073,074 A * 12/1991 Corrigan F16B 35/005
403/362

7,016,734 B2 3/2006 Persuitti et al.

7,308,312 B1 12/2007 Lim et al.

D608,626 S * 1/2010 Camisasca D8/382

8,707,830 B2 * 4/2014 Huang B25B 13/06
81/121.1

D723,910 S 3/2015 Totsu

9,068,587 B2 6/2015 Sage et al.

D755,028 S * 5/2016 Yu D8/29

2011/0095150 A1 * 4/2011 Geier F16B 41/005
248/220.22

2016/0298670 A1 * 10/2016 Diniz F16B 35/005

* cited by examiner

Primary Examiner — Sandra Snapp

Assistant Examiner — Ieisha Price

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright
US LLP

(57) **CLAIM**

The ornamental design for a screw, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the screw showing my new design, taken from the top, rear and right side thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a cross-sectional view thereof taken along the lines 8-8 in FIG. 6, illustrating the configuration of the groove formed in the screw.

1 Claim, 5 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

