



US00D812548S

(12) **United States Design Patent** (10) **Patent No.:** **US D812,548 S**
Raatikainen et al. (45) **Date of Patent:** **** Mar. 13, 2018**

(54) **TIRE TREAD**
(71) Applicants: **Jouni Juhani Raatikainen**, Lempäälä (FI); **Henri Sakari Kossi**, Nokia (FI); **Mikko Valtteri Sironen**, Tampere (FI)
(72) Inventors: **Jouni Juhani Raatikainen**, Lempäälä (FI); **Henri Sakari Kossi**, Nokia (FI); **Mikko Valtteri Sironen**, Tampere (FI)
(73) Assignee: **BLACK DONUTS ENGINEERING OY**, Pirkkala (FI)

D711,309 S * 8/2014 Kawakita D12/567
D721,322 S 1/2015 Raatikainen et al.
D721,323 S * 1/2015 Caron D12/563
D733,038 S 6/2015 Raatikainen et al.
D754,058 S * 4/2016 Caron D12/534
D756,896 S * 5/2016 Leconte D12/564
D769,800 S 8/2016 Raatikainen et al.
D777,090 S * 1/2017 Kang D12/553
D780,668 S 3/2017 Raatikainen et al.
D783,506 S 3/2017 Kossi et al.
D783,507 S 4/2017 Raatikainen et al.
D797,653 S * 9/2017 Raatikainen D12/545

(**) Term: **15 Years**
(21) Appl. No.: **29/585,935**
(22) Filed: **Nov. 30, 2016**

(30) **Foreign Application Priority Data**
Oct. 6, 2016 (EM) 003407907
(51) **LOC (11) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/564**
(58) **Field of Classification Search**
USPC D12/533-567
CPC B60C 11/0302; B60C 2011/0358; B60C 2011/0374
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D354,029 S * 1/1995 Voigt D12/564
D467,864 S * 12/2002 Whetzel D12/559
D591,221 S * 4/2009 Fontaine D12/563
D702,625 S * 4/2014 Leconte D12/564
D702,626 S * 4/2014 de Briey-Terlinden D12/567
D702,627 S 4/2014 Raatikainen et al.

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/546,681, filed Nov. 24, 2015, entitled Tire Tread, Inventors: Raatikainen et al.
Design U.S. Appl. No. 29/555,396, filed Feb. 22, 2016, entitled Tire Tread, Inventors: Raatikainen et al.

(Continued)

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Joseph J Kukella
(74) *Attorney, Agent, or Firm* — Thompson Hine LLP


(57) **CLAIM**

The ornamental design for tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the design;
FIG. 2 is a front view of the design;
FIG. 3 is a side view of a first side of the design of FIG. 1;
FIG. 4 is a side view of a second side of the design of FIG. 1; and,
FIG. 5 is a detail view of a portion of FIG. 2.
In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/557,624, filed Mar. 10, 2016, entitled Tire Tread, Inventors: Raatikainen et al.

Design U.S. Appl. No. 29/557,626, filed Mar. 10, 2016, entitled Tire Tread, Inventors: Raatikainen et al.

Design U.S. Appl. No. 29/568,278, filed Jun. 16, 2016, entitled Tire Tread, Inventors: Kossi et al.

Design U.S. Appl. No. 29/568,281, filed Jun. 16, 2016, entitled Tire Tread, Inventors: Raatikainen et al.

Design U.S. Appl. No. 29/570,450, filed Jul. 8, 2016, entitled Tire Tread, Inventors: Kossi et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5