



US00D812782S

(12) **United States Design Patent**
Dorman et al.

(10) **Patent No.:** **US D812,782 S**
(45) **Date of Patent:** **** Mar. 13, 2018**

(54) **SELF MATING BEAM**

(71) Applicant: **White Distribution, LLC**, Leesburg, FL (US)
(72) Inventors: **William Dorman**, Umatilla, FL (US);
Keith Burnett, Seminole, FL (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/560,170**

(22) Filed: **Apr. 4, 2016**

(51) **LOC (11) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/119**

(58) **Field of Classification Search**

USPC D25/38.1, 38.8, 47.1, 48.1–48.4, 55, 56,
D25/58, 59, 61, 119–132, 138, 139, 142,
D25/143, 152, 153, 159, 164, 199;
52/204.1, 204.5, 208, 209, 204.53, 211,
52/212, 213, 217, 254, 255, 287.1, 293.3,
52/302.6, 443, 444, 716.1, 716.2, 716.6,
52/716.7, 716.8, 717.01, 717.03;
D26/118, 138, 141, 142
CPC . A47B 96/068; A47B 96/07; E04B 2001/405;
E04C 2003/0413; E04C 2003/0465; E04C
2003/043; E04C 3/00; E04C 3/04; E04C
3/005; E04C 3/02; E04C 3/0473; E04C
3/07; E04C 3/12; E04C 3/14; E04C 3/30;
E04C 3/32; E04C 3/292; E04H 2004/146;
E04H 2004/147

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,143,165 A 8/1964 Lewis et al.
3,222,841 A 12/1965 Lipof
D210,872 S * 4/1968 Marsh D25/122
D269,968 S * 8/1983 Rodriguez Moura D25/126
5,031,083 A 7/1991 Claesson
5,406,762 A * 4/1995 Buard H02G 3/0418
52/287.1
D415,292 S * 10/1999 Giese D25/123

(Continued)

OTHER PUBLICATIONS

Aluminum Design Manual, 2005, 139 pages, The Aluminum Association, Inc., Arlington, Virginia.

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Llorellys Martinez-Rivera

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(57) **CLAIM**

The ornamental design for a self mating beam, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the design of a self mating beam;

FIG. 2 is a top plan view of the self mating beam shown in FIG. 1;

FIG. 3 is a bottom plan view of the self mating beam shown in FIG. 1;

FIG. 4 is a right side view of the self mating beam shown in FIG. 1;

FIG. 5 is a left side view of the self mating beam shown in FIG. 1;

FIG. 6 is a front side view of the self mating beam shown in FIG. 1;


FIG. 7 is a back side view of the self mating beam shown in FIG. 1; and,

FIG. 8 is a top perspective view thereof, showing the self mating beam shown in FIG. 1 in an environment of use.

The broken lines in FIG. 8 illustrate environmental subject matter only and form no part of the claimed design.

The self mating beam is shown with a symbolic break in its length. The appearance of any portion of the self mating beam between the break lines forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,385,941	B1	5/2002	Power, Jr. et al.	
6,668,495	B1	12/2003	Prince	
6,826,885	B2	12/2004	Raskin et al.	
D620,618	S	7/2010	Teffenhart, Jr.	
D620,619	S	7/2010	Teffenhart, Jr.	
7,877,962	B2	2/2011	Teffenhart, Jr.	
D636,095	S	4/2011	Teffenhart, Jr.	
D666,743	S	9/2012	Teffenhart, Jr.	
8,756,900	B1	6/2014	Hudson et al.	
D713,054	S	9/2014	Teffenhart, Jr.	
2003/0145555	A1	8/2003	Raskin et al.	
2007/0026671	A1	2/2007	Kim et al.	
2007/0074480	A1	4/2007	Kleila et al.	
2007/0266671	A1*	11/2007	Chromy	E04C 3/06 52/844
2008/0016816	A1	1/2008	Kim	
2008/0168738	A1	7/2008	Shelton et al.	
2009/0178360	A1	7/2009	Teffenhart, Jr.	
2015/0225953	A1*	8/2015	Dorman	E04C 3/04 52/844

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8

