



US00D813022S

(12) **United States Design Patent**
Hanley

(10) **Patent No.:** **US D813,022 S**
(45) **Date of Patent:** **** Mar. 20, 2018**

- (54) **ROD BRACKET**
- (71) Applicant: **Kenney Manufacturing Company**
- (72) Inventor: **Michael P. Hanley**, Smithfield, RI (US)
- (73) Assignee: **Kenney Manufacturing Company**,
Warwick, RI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/609,185**
- (22) Filed: **Jun. 28, 2017**

| | | | |
|---------------|---------|---------------|---------------------------|
| 4,325,528 A | 4/1982 | Martin | |
| D265,285 S * | 7/1982 | Englert, Jr. | D8/354 |
| 4,555,432 A | 11/1985 | Bossons | |
| D281,575 S | 12/1985 | Chap | |
| D285,410 S | 9/1986 | Webber | |
| D290,224 S * | 6/1987 | Skinner | 248/48.2 |
| D290,931 S | 7/1987 | Powell | |
| D315,862 S * | 4/1991 | Specker, Jr. | D8/373 |
| 5,069,412 A | 12/1991 | Jacob | |
| D327,642 S | 7/1992 | Foubister | |
| D329,372 S * | 9/1992 | Wilms | D8/363 |
| 5,564,666 A | 10/1996 | Pfeil | |
| 5,582,303 A * | 12/1996 | Sloan | A47G 25/0692 211/105.1 |
| D389,035 S | 1/1998 | Smiley et al. | |
| 6,216,889 B1 | 4/2001 | Chang | |
| D455,334 S | 4/2002 | Ivankovic | |
| D459,978 S * | 7/2002 | Hollinger | D6/556 |
| 6,439,520 B1 | 8/2002 | Johnson | |
| D517,402 S | 3/2006 | Cairns | |

Related U.S. Application Data

- (63) Continuation of application No. 15/488,781, filed on Apr. 17, 2017.
- (51) **LOC (11) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/380**
- (58) **Field of Classification Search**
USPC 248/201, 261, 262, 263, 264; D8/349,
D8/354, 363, 366, 371, 373, 380, 381,
D8/382, 394, 395; D6/546-550, 575-581
CPC A47H 1/10; A47H 1/102; A47H 1/104
See application file for complete search history.

(Continued)

Primary Examiner — Lakiya Rogers
Assistant Examiner — Harold E Blackwell, II
 (74) *Attorney, Agent, or Firm* — Adler Pollock & Sheehan P.C.; Daniel J. Holmander

(57) **CLAIM**

The ornamental design for a rod bracket, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|----------------|------------------------|
| 1,147,355 A * | 7/1915 | Zevin | A47H 1/13 248/257 |
| 2,224,008 A | 12/1940 | Auslander | |
| 2,679,373 A | 5/1954 | Henley | |
| 2,859,879 A | 11/1958 | Rogers et al. | |
| 2,908,471 A | 10/1959 | Hollansworth | |
| 3,614,045 A * | 10/1971 | Cegielski, Jr. | A47H 1/12 211/105.1 |
| 3,669,395 A | 6/1972 | Gehrke | |
| 3,912,211 A | 10/1975 | Topf | |

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of the rod bracket;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|------------------|-----------------------|
| 7,198,088 | B2 | 4/2007 | McMenamin et al. | |
| 7,370,839 | B2 | 5/2008 | Putman | |
| D605,931 | S * | 12/2009 | Piersant | D8/381 |
| D605,932 | S | 12/2009 | Piersant | |
| D622,578 | S | 8/2010 | Kollman | |
| 8,056,873 | B1 | 11/2011 | Hanley et al. | |
| 8,231,093 | B2 | 7/2012 | Tran | |
| D678,754 | S * | 3/2013 | Burr | D6/575 |
| 8,418,975 | B1 * | 4/2013 | Burr | A47H 1/142 248/261 |
| 8,678,068 | B1 | 3/2014 | Hobart et al. | |
| 8,740,171 | B2 | 6/2014 | Crescenzo | |
| 9,609,974 | B2 * | 4/2017 | Mateer | A47H 1/102 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7