



US00D813729S

(12) **United States Design Patent**  
**Serbinski**

(10) **Patent No.:** **US D813,729 S**  
(45) **Date of Patent:** **\*\* Mar. 27, 2018**

- (54) **VEHICLE HAND GUARD**
- (71) Applicant: **Andrew Serbinski**, Annandale, NJ (US)
- (72) Inventor: **Andrew Serbinski**, Annandale, NJ (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/505,390**
- (22) Filed: **Sep. 18, 2015**
- (51) **LOC (11) Cl.** ..... **12-11**
- (52) **U.S. Cl.**  
USPC ..... **D12/114**
- (58) **Field of Classification Search**  
USPC ..... D12/114, 126, 117, 110, 400, 107, 186,  
D12/174, 177-179; D29/113  
CPC ..... B62J 23/00; B62J 27/00; B62K 21/12;  
B62K 21/125  
See application file for complete search history.

8,820,191 B2 *	9/2014	Laivins	.....	B62J 23/00	74/551.8
D776,579 S *	1/2017	Oyanagi	.....	D12/126	
9,650,098 B2 *	5/2017	Garrett	.....	B62J 23/00	
2004/0173046 A1 *	9/2004	Hancock	.....	B62J 27/00	74/551.8
2009/0314125 A1 *	12/2009	Mentasti	.....	B62J 23/00	74/551.8
2016/0031510 A1 *	2/2016	Serbinski	.....	B62J 27/00	74/551.8

\* cited by examiner

*Primary Examiner* — George D. Kirschbaum  
*Assistant Examiner* — Clese Moore, Jr.  
(74) *Attorney, Agent, or Firm* — Machineart Inc.; Andrew Serbinski

(57) **CLAIM**

The ornamental design for a vehicle hand guard, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D176,579 S *	1/1956	Kraver	.....	280/304.3
4,141,567 A *	2/1979	Scott	.....	B62J 23/00
				280/304.3
D258,343 S *	2/1981	Beck	.....	D8/322
4,438,661 A *	3/1984	Cullen	.....	B62K 21/26
				74/551.9
D319,992 S *	9/1991	Acerbis	.....	D12/114
5,447,308 A *	9/1995	Girard	.....	F41B 15/00
				463/47.2
5,740,700 A *	4/1998	Redmond	.....	B62J 23/00
				2/17
D549,619 S *	8/2007	Jacobs	.....	D12/114
D556,644 S *	12/2007	Mentasti	.....	D12/126
D617,688 S *	6/2010	Ying	.....	D12/114
8,534,159 B2 *	9/2013	Laivins	.....	B62J 17/00
				74/551.8

**DESCRIPTION**

FIG. 1 is a front view with a shield open;  
FIG. 2 is a front view with a shield closed;  
FIG. 3 is a side view;  
FIG. 4 is a right side view;  
FIG. 5 is a top view;  
FIG. 6 is a bottom view;  
FIG. 7 is a rear view;  
FIG. 8 is a an exploded front perspective view;  
FIG. 9 is a front perspective view with a shield open;  
FIG. 10 is a front perspective view with a shield closed; and,  
FIG. 11 is a front perspective view with a shield and front insert removed to illustrate another embodiment of the design.

**1 Claim, 11 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10






FIG. 11