



US00D813795S

(12) **United States Design Patent** (10) **Patent No.:** **US D813,795 S**
Farinelle et al. (45) **Date of Patent:** **** Mar. 27, 2018**

(54) **TIRE**
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(72) Inventors: **Corentin Eric Ghislain Farinelle, Breuvanne (BE); Jean-Julien Edouard Ghislain Krier, Bastogne (BE); Georges Gaston Feider, Bettborn (LU); Albert Maurice Pol Ghislain Lerusse, Bastogne (BE)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/585,989**

(22) Filed: **Nov. 30, 2016**

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/588**

(58) **Field of Classification Search**
USPC D12/586, 587, 588, 590, 601, 604
CPC B60C 11/04; B60C 2011/0386; B60C 2011/0388

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D284,649 S	*	7/1986	Kwee		D12/587
D289,275 S	*	4/1987	Hinrichsen		D12/588
D313,581 S	*	1/1991	Goto		D12/586
D340,436 S		10/1993	Baus		D12/146
D385,519 S		10/1997	de Briey-Terlinden		D12/147
			et al.		D12/146
D388,033 S		12/1997	Scheuren et al.		D12/147
D397,970 S		9/1998	Le et al.		D12/146
D412,302 S		7/1999	Rayman et al.		D12/147
D420,630 S		2/2000	De Coninck et al.		D12/147
D456,766 S		5/2002	Warchol et al.		D12/579

D467,865 S	*	12/2002	Comps		D12/594
D487,722 S	*	3/2004	Nonaka		D12/600
D492,246 S	*	6/2004	Salvan		D12/567
D492,643 S		7/2004	Robert		D12/579
D549,157 S		8/2007	Maus et al.		D12/544
D549,163 S	*	8/2007	Maus		D12/579
D585,820 S	*	2/2009	Motta		D12/599
D599,731 S		9/2009	Scheuren		D12/566

(Continued)

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the left side elevational view being identical thereto;


FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D606,929 S	12/2009	Song	D12/579
D610,075 S *	2/2010	Song	D12/593
D612,800 S	3/2010	Lundgren et al.	D12/579
D620,428 S	7/2010	Rayman	D12/579
D622,211 S	8/2010	Maus et al.	D12/579
D627,709 S	11/2010	Harvey et al.	D12/579
D634,266 S	3/2011	Shan et al.	D12/599
D634,701 S	3/2011	Shan et al.	D12/599
D648,674 S	11/2011	Mayni et al.	D12/600
D656,085 S	3/2012	Maus et al.	D12/544
D662,038 S	6/2012	Mayni et al.	D12/600
D662,457 S *	6/2012	Krier	D12/588
D684,523 S	6/2013	Scheuren et al.	D12/564
D695,201 S	12/2013	Tanaka	D12/600
D731,406 S	6/2015	Yamaguchi	D12/600
D735,118 S	7/2015	Dixon et al.	D12/578
D735,119 S	7/2015	Hermann et al.	D12/578
D761,191 S *	7/2016	Krier	D12/587
D764,395 S *	8/2016	Yamaguchi	D12/600
D764,396 S *	8/2016	Yamaguchi	D12/600
D765,020 S *	8/2016	Yamaguchi	D12/600
D765,021 S *	8/2016	Yamaguchi	D12/600
D765,022 S *	8/2016	Yamaguchi	D12/600
D785,554 S *	5/2017	Krier	D12/588
D795,175 S *	8/2017	Hughes	D12/579
2010/0032067 A1 *	2/2010	Neubauer	B60C 11/0311 152/209.1

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6