



US00D814245S

(12) **United States Design Patent**  
**DiPucchio**

(10) **Patent No.:** **US D814,245 S**  
(45) **Date of Patent:** **\*\* Apr. 3, 2018**

(54) **FRAME FOR THERMAL CARRIER**

(71) Applicant: **Nutri-Systems Corporation**, Turners Falls, MA (US)

(72) Inventor: **Jay DiPucchio**, Turners Falls, MA (US)

(73) Assignee: **Nutri-Systems Corporation**, Turners Falls, MA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/590,542**

(22) Filed: **Jan. 11, 2017**

**Related U.S. Application Data**

(63) Continuation of application No. 29/519,291, filed on Mar. 4, 2015, now abandoned.

(51) **LOC (11) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/605**

(58) **Field of Classification Search**

USPC ..... D7/602-608, 619.1, 619.2, 629, 630  
CPC ..... A45C 11/20; A47B 77/08; B65D 8/18;  
B65D 5/48; B65D 21/00; B65D 21/08;  
B65D 6/16; B65D 21/083; B65D 81/38;  
B65D 81/3816; B65B 63/08; F25D 3/08;  
F25D 27/00; F25D 3/06; H05B 3/06  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,050,387 A 9/1991 Bruce  
5,561,986 A 10/1996 Goodall  
5,758,513 A 6/1998 Smith  
D411,079 S 6/1999 Graham  
D427,490 S 7/2000 Hunter

6,266,972 B1 7/2001 Bostic  
6,471,065 B1 10/2002 Peeples  
6,966,450 B2 11/2005 Askew  
D587,072 S 2/2009 Friedman  
D651,859 S 1/2012 Blake  
D651,860 S 1/2012 Nie  
8,376,168 B2 \* 2/2013 Fielden ..... B65D 19/06  
206/386  
8,770,422 B2 \* 7/2014 Cantin ..... E04B 1/3442  
206/386  
D712,704 S 9/2014 Gardner  
D724,178 S \* 3/2015 Jenkins ..... D23/206  
D745,384 S \* 12/2015 Park ..... D9/414

\* cited by examiner

*Primary Examiner* — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Doherty, Wallace, Pillsbury + Murphy, P.C.

(57) **CLAIM**

The ornamental design for a frame for thermal carrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a frame for thermal carrier showing my new design, wherein the frame is in a folded position;

FIG. 2 is a front view of the frame of FIG. 1

FIG. 3 is a back view of the frame of FIG. 1, wherein the back view is oppositely situated from the front view when the frame is in a folded position;


FIG. 4 is a top view of the frame of FIG. 1;


FIG. 5 is an exterior view thereof wherein the frame is in an unfolded position; and,

FIG. 6 is an interior view thereof wherein the frame is in an unfolded position.


The broken lines in FIGS. 1-6 form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**







**FIG. 1**




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*