



US00D814276S

(12) **United States Design Patent** (10) **Patent No.:** **US D814,276 S**
Ressler (45) **Date of Patent:** **** Apr. 3, 2018**

(54) **COVER FASTENER**
(71) Applicant: **Dutch Clips LLC**, Reinholds, PA (US)
(72) Inventor: **Thomas Ressler**, Reinholds, PA (US)
(73) Assignee: **Dutch Clips LLC**, Reinholds, PA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/522,656**
(22) Filed: **Apr. 1, 2015**
(51) **LOC (11) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/382**; D8/367
(58) **Field of Classification Search**
USPC D8/14, 16, 19, 44, 71, 107, 349, 354,
D8/356, 373, 367, 371, 382, 383, 394,
D8/499
CPC F16B 45/00; B60J 7/104; A44B 13/00;
A44B 13/0017; A44B 13/0023; A44B
13/0029; Y10T 24/3484; Y10T 24/2175;
Y10T 24/39; Y10T 24/3913; Y10T
24/3991; Y10T 24/3987
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,366,212 A * 1/1921 Pollard F16G 11/00
24/129 B
2,284,197 A * 5/1942 Greene E21B 19/04
24/375
D222,795 S * 1/1972 Radoslav D8/40
4,222,157 A * 9/1980 Forman F16G 11/103
24/129 A
4,831,692 A * 5/1989 Chuan F16G 11/046
24/129 B
4,911,394 A * 3/1990 Ericson B66C 1/34
248/301
D336,023 S * 6/1993 Alpers D8/40

5,293,673 A * 3/1994 Murai A44B 11/28
24/600.4
D391,146 S * 2/1998 Cutler D8/367
D403,232 S * 12/1998 Fischer D8/349
D403,394 S * 12/1998 Erlandson D22/121
D458,533 S * 6/2002 Sonju A63B 29/02
D8/356
D534,905 S * 1/2007 Sergi D14/238
D649,792 S * 12/2011 Nosworthy D6/315
D694,613 S * 12/2013 Miles D8/367
D710,679 S * 8/2014 Miller D8/356
D753,985 S * 4/2016 Nelson D8/356
D801,788 S * 11/2017 Dershem D8/367
2007/0039137 A1 * 2/2007 Dupont F16G 11/046
24/115 R

(Continued)

Primary Examiner — Sandra S Snapp

Assistant Examiner — Ieisha N Price

(74) *Attorney, Agent, or Firm* — Barley Snyder


(57) **CLAIM**

The ornamental design for a cover fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a cover fastener according to the invention;
FIG. 2 is a rear, top and right side perspective view of FIG. 1;
FIG. 3 is a front elevation view of FIG. 1;
FIG. 4 is a rear elevation view of FIG. 1;
FIG. 5 is a top plan view of FIG. 1;
FIG. 6 is a right side elevation view of FIG. 1;
FIG. 7 is a bottom plan view of FIG. 1;
FIG. 8 is a left side elevation view of FIG. 1;
FIG. 9 is rear, bottom and right side perspective view of FIG. 1; and,
FIG. 10 is front, bottom and left side perspective view of FIG. 1.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0024177	A1 *	2/2010	Hayes	F16B 45/00 24/588.1
2010/0319605	A1 *	12/2010	Petrenko	G09F 17/00 116/173
2015/0176678	A1 *	6/2015	Burrell	F16G 11/14 24/129 R
2016/0066658	A1 *	3/2016	Breen	F16G 11/103 24/130
2017/0254353	A1 *	9/2017	Ressler	F16B 45/00
2017/0261156	A1 *	9/2017	Wise	F16B 45/00

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10