



US00D814463S

(12) **United States Design Patent**
Haigh

(10) **Patent No.:** **US D814,463 S**

(45) **Date of Patent:** **** Apr. 3, 2018**

(54) **TRANSCEIVER**

(71) Applicant: **Senseonics, Incorporated,**
Germantown, MD (US)

(72) Inventor: **Casey Haigh,** Germantown, MD (US)

(73) Assignee: **Senseonics, Incorporated,**
Germantown, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/579,877**

(22) Filed: **Oct. 4, 2016**

(51) **LOC (11) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/358; D24/169**

(58) **Field of Classification Search**
USPC D14/125, 129, 130, 137, 140, 142, 155,
D14/168, 172, 188, 195, 203.1, 203.6,
D14/203.8, 204, 209, 209.1, 216, 230,
D14/231, 233, 235, 236, 237, 240, 242,
D14/299, 300, 302, 348, 351, 356, 357,
D14/358, 361, 362, 365, 367, 370, 388,
D14/432, 434, 496; D13/103, 107, 108,
D13/123, 152, 158, 162, 162.1, 163, 168,
D13/184, 199; D10/104.1, 106.2, 106.3,
D10/106.5, 106.6, 106.9, 106.91, 116.1,
D10/61, 64, 75; D24/216, 223, 231, 232,
D24/107, 169, 186
CPC ... H04W 88/08; H04W 88/085; H04W 88/00;
H04W 88/005; H04W 88/02; H04W
88/12; H04W 88/14; H04W 88/16; H04W
88/18; H04W 4/00; H01Q 1/02; H01Q
1/2291; H01Q 1/246; H04B 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,598 S 5/1994 McCay et al.
D585,395 S * 1/2009 Cho D14/125

D640,692 S 6/2011 Waisman-Diamond
D704,581 S * 5/2014 Ho D10/78
D719,153 S * 12/2014 Lim D14/356
D722,697 S * 2/2015 Moon D24/169
D726,924 S * 4/2015 Tseng D24/186
D729,939 S * 5/2015 Moon D24/169
D758,589 S * 6/2016 Meguro D24/169
D777,331 S * 1/2017 Jayalath D14/344
D780,928 S * 3/2017 Hayakawa D24/169
D783,552 S * 4/2017 Hogan D14/125
D787,463 S * 5/2017 Maxwell D14/130
D795,853 S * 8/2017 Ngo D14/240

FOREIGN PATENT DOCUMENTS

TW D164532 S 12/2014

* cited by examiner

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Rebekah A Caruso

(74) *Attorney, Agent, or Firm* — Rothwell, Figg, Ernst & Manbeck, P.C.



(57) **CLAIM**

The ornamental design for transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottom, rear, and right side of the transceiver;
FIG. 2 is a perspective view of the top, front, and left side of the transceiver;
FIG. 3 is a rear view of the transceiver;
FIG. 4 is a front view of the transceiver;
FIG. 5 is a left side view of the transceiver;
FIG. 6 is a right side view of the transceiver;
FIG. 7 is a top view of the transceiver; and,
FIG. 8 is a bottom view of the transceiver.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8